

#262

MARINER 9
INFRARED INTERFEROMETER SPECTROMETER
71-051A-03A

Table of Contents

1. Introduction
2. Errata/Change Log
3. LINKS TO RELEVANT INFORMATION IN THE ONLINE NSSDC
INFORMATION SYSTEM
4. Catalog Materials
 - a. Associated Documents
 - b. Core Catalog Materials

1. INTRODUCTION:

The documentation for this data set was originally on paper, kept in NSSDC's Data Set Catalogs (DSCs). The paper documentation in the Data Set Catalogs have been made into digital images, and then collected into a single PDF file for each Data Set Catalog. The inventory information in these DSCs is current as of July 1, 2004. This inventory information is now no longer maintained in the DSCs, but is now managed in the inventory part of the NSSDC information system. The information existing in the DSCs is now not needed for locating the data files, but we did not remove that inventory information.

The offline tape datasets have now been migrated from the original magnetic tape to Archival Information Packages (AIP's).

A prior restoration may have been done on data sets, if a requestor of this data set has questions; they should send an inquiry to the request office to see if additional information exists.

2. ERRATA/CHANGE LOG:

NOTE: Changes are made in a text box, and will show up that way when displayed on screen with a PDF reader.

When printing, special settings may be required to make the text box appear on the printed output.

Version	Date	Person	Page	Description of Change
01				
02				

3 LINKS TO RELEVANT INFORMATION IN THE ONLINE NSSDC
INFORMATION SYSTEM:

<http://nssdc.gsfc.nasa.gov/nmc/>

[NOTE: This link will take you to the main page of the NSSDC Master Catalog. There you will be able to perform searches to find additional information]

4. CATALOG MATERIALS:

- a. Associated Documents To find associated documents you will need to know the document ID number and then click here.
<http://nssdcftp.gsfc.nasa.gov/miscellaneous/documents/>

- b. Core Catalog Materials

MARINER 9

INFRARED INTERFEROMETER SPECTROMETER

71-051A-03A

PSPA-00384

THIS DATA SET HAS BEEN RESTORED. ORIGINALLY IT CONTAINED FIVE 9-TRACK, 1600 BPI TAPES WRITTEN IN BINARY. THERE IS ONE RESTORED TAPE. THE DR TAPE IS A 3480 CARTRIDGE AND THE DS TAPE IS 9-TRACK, 6250 BPI. THE ORIGINAL TAPE WERE CREATED ON AN IBM 360 COMPUTER AND THEY WERE RESTORED ON A THE MRS SYSTEM. THE DR AND DS NUMBERS ALONG WITH THE CORRESPONDING D NUMBERS AND THE TIME SPANS ARE AS FOLLOWS:

DR#	DS#	D#	FILES	TIME SPAN
DR004166	DS004166	D013733	1	11/14/71 - 12/05/71
		D013734	2	12/05/71 - 01/03/72
		D013735	3	01/03/72 - 01/22/72
		D013736	4	01/22/72 - 02/11/72
		D013737	5	02/11/72 - 10/16/72

MARINER 9
INFRARED INTERFEROMETER SPECTROMETER
71-051A-03A

This data set set consists of 5 1600 BPI, binary data tapes that were produced on an IBM/360. The tapes are 9-track and contain one file of data. The records have a physical record size of 6408 bytes and a logical record size of 6404 bytes. Each tape contains seven types of records, one each of types 1 through 6 followed by a string of type 7. The time (GMT) is found in words 4-7 and 19-23 in record type 7.

<u>D#</u>	<u>C#</u>	<u>START</u>	<u>STOP</u>
D-13733	C-11210	11/14/71	- 12/05/71
D-13734	C-11211	12/05/71	- 01/03/72
D-13735	C-11212	01/03/71	- 01/22/72
D-13736	C-11213	1/22/72	- 2/11/72
D-13737	C-11214	2/11/72	- 10/16/72

MARINER 9 INFRARED INTERFEROMETER SPECTROMETER (IRIS)

REDUCED DATA RECORDS DOCUMENTATION

October 1973

**GODDARD SPACE FLIGHT CENTER
Greenbelt, Maryland**

FOREWORD

This document has been assembled by the Mariner 9 IRIS staff, code 622, Goddard Space Flight Center, Greenbelt, Maryland, 20771. Further questions concerning the IRIS data or instrumentation should be addressed to one of the following:

R. A. Hanel, PI
V. G. Kunde, Co-I
B. J. Conrath, Co-I
J. C. Pearl, Co-I

CONTENTS

	<u>Page</u>
FOREWORD	iii
INTRODUCTION	1
CALIBRATION	1
ORBITAL INFORMATION	3
RDR DATA FORMAT	4
REFERENCES	6
 APPENDICES	
A Revolution Summary	A-1
B Reduced Data Record (RDR) Format	B-1
C Supplementary Experimenter Data Record (SEDR) Format	C-1

ILLUSTRATIONS

<u>Figure</u>	<u>Page</u>
1 Emissivity of the Warm Calibration Source	7
2 Average Spectral Amplitude of 1766 Warm Calibration Spectra	8
3 Average Spectral Amplitude of 1766 Cold Calibration Spectra	9
4 Average Instrument Spectral Responsitivity Based on 1766 Calibration Pairs	10
5 Instrumental NER determined from standard deviation of responsitivity. The sharp numbered spikes are due to interference from the spacecraft or other experiments	11

ILLUSTRATIONS (Continued)

<u>Figure</u>	<u>Page</u>
6 Instrument Temperature as Derived From Calibration Equations	12
7 Wave Number Transfer Function to Correct Observed Wave Number for Finite Field-of-View Effects	13
8 Average Radiance Spectrum	14
9 Average Brightness Temperature Spectrum	15

TABLE

<u>Table</u>	<u>Page</u>
1 Spectral Emissivity of the Warm Calibration Source	16

MARINER 9 INFRARED INTERFEROMETER SPECTROMETER (IRIS) REDUCED DATA RECORDS DOCUMENTATION

INTRODUCTION

On 14 November 1971, the Mariner 9 spacecraft was successfully inserted into orbit around Mars. One of the five instruments on board, an infrared interferometer spectrometer (IRIS) is used to record the thermal emission spectrum of Mars between 200 and 2000 cm^{-1} ($50 - 5\text{ }\mu\text{m}$) with a spectral resolution of 2.4 cm^{-1} in the apodized mode. The spatial resolution for vertical viewing, corresponding to a field of view of $\sim 4.5^\circ$, is a circular area of approximately 110 km diameter for a periapsis height of 1400 km . The total number of calibrated spectra included in the final data set is 21167 .

The purpose of this report is to document the final calibrated thermal emission spectra contained in the reduced data records (RDR). Magnetic tapes with these data records are available to the scientific community through the National Space Science Data Center, Goddard Space Flight Center, Greenbelt, Maryland 20771. The design and performance of the instrument has been published by Hanel, et al., (1972a), and science results are discussed in Hanel, et al., (1972b), Hanel, et al., (1972c), Conrath, et al., (1973), and Curran, et al., (1973).

CALIBRATION

Calibration spectra were periodically recorded while observing either deep space or an on-board warm blackbody ($T \approx 296\text{ K}$). One pair of calibration spectra is generated for every 14 spectra of Mars. Scaling of the raw Martian spectra to the calibration spectra specifies the Martian spectra in absolute radiometric units. The calibration procedure for the Mariner 9 spectra is similar to that previously described for Nimbus 4 (Hanel, et al., 1972d). The equation for the calibration of the Martian spectra is

$$I_\nu = \frac{C_{t_\nu} - C_{c_\nu}}{\alpha_\nu C_{w_\nu} - C_{c_\nu}} B_\nu(T_w) \quad (1)$$

where C_{t_ν} , C_{c_ν} , and C_{w_ν} are the instantaneous spectral amplitudes for the target (Mars), the cold calibration source (deep space), and the warm calibration source (on-board reference blackbody), respectively. B_ν is the Planck function, T_w is the temperature of the warm reference blackbody, and α_ν is discussed below.

The excellent thermal stability of the Mariner 9 IRIS has permitted the entire ensemble of 1766 calibration pairs acquired during the Mariner mission to be averaged to provide a single set of calibration parameters. The final calibration equation is

$$I_{\nu} = \frac{C_{t_{\nu}} - \langle C_{c_{\nu}} \rangle}{\alpha_{\nu} \langle C_{w_{\nu}} \rangle - \langle C_{c_{\nu}} \rangle} B_{\nu}(\bar{T}_w) \quad (2)$$

Consequently, the random error introduced into the individual target spectra from the calibration spectra is extremely small. The temperature $\bar{T}_w$ of the warm blackbody is an average of eight transducer measurements made immediately before and after each interferogram.

The factor α_{ν} is the reciprocal value of the emissivity ϵ_{ν} of the black paint used in the warm calibration source, an aluminum plate with 30° V-shaped grooves painted with 3M 401-C10 Black Velvet paint. While this paint is relatively black over most of the instrument spectral range, small glass beads contained in it give rise to emittance variations of a few percent near 480 cm⁻¹ and 1100 cm⁻¹ which are characteristic wave numbers of SiO₂. The correction factor was derived from laboratory reflectance measurements on a duplicate blackbody, from similar measurements on the same type of paint, kindly made available by James Aronson (private communication), and finally from comparisons of the warm and cold calibrations on the interferometer while in orbit around Mars. All three methods were in agreement and, consequently, the emissivity correction of the warm calibration source has been applied to all spectra. The emissivity of the reference "blackbody" is shown in Figure 1 and is listed in Table 1.

The responsivity of the instrument and a spectral instrument temperature may also be derived from each calibration pair. The noise equivalent radiance (NER), a measure of the random errors in the measurements, is calculated from the standard deviation of the individual instantaneous responsivities. The derivation and description of all the instrumental parameters are discussed in detail in Hanel, et al., 1972d.

The average instrumental parameters are illustrated in Figures 2-6. Several spikes are observable in the instrument NER (Figure 5). The locations of these spikes are:

<u>Number</u>	<u>ν(cm⁻¹)</u>	<u>f(Hz)</u>	<u>Probable Source</u>
1	356.	8.36	8-1/3 bps - telemetry rate
2	713.	16.76	2 (8-1/3)

<u>Number</u>	<u>$\nu(\text{cm}^{-1})$</u>	<u>$f(\text{Hz})$</u>	<u>Probable Source</u>
3	1069.	25.12	3 (8-1/3)
4	1203.	28.27	?
5	1426.	33.52	4 (8-1/3) & 33-1/3
6	1782.	41.88	5 (8-1/3)

The most probable source of these spikes are transients caused by the engineering telemetry channels which have characteristic frequencies of 8-1/3 and 33-1/3 bps. The source of the interference at 28.27 Hz is unknown.

In addition to the radiometric calibration, a wave number correction has been applied to the data. The finite solid angles of the primary and reference interferometers cause a small wave number shift and a distortion of the true wave number scale. This well known effect, caused by the interference of on-axis and off-axis rays, has been corrected for empirically. A numerical fit of a Lorentzian function was made to determine the center wave number position ν_m and ν_t of the strongest CO_2 features in a measured and in a theoretical spectrum respectively. The difference, $\nu_t - \nu_m$, is shown as a function of ν_t in Figure 7. The adopted correction is a linear least squares fit

$$\nu_t = \frac{(0.016187 + \nu_m)}{1.0010602} \quad (3)$$

The above constants are contained in the RDR type 1 records (words 96 and 97). The ν_t wave number mesh for the calibrated radiances is also contained in the type 1 records (words 101 through 1600).

The general characteristics of a spectrum are exhibited in terms of radiance and brightness temperature in Figures 8 and 9, respectively. This spectrum is an average of 1842 spectra from the RDR records with surface temperature in the 260–280 K range, viewing angle in the 0–90° range, and for revolutions later than 100. Absorption by water vapor occurs in the 200–500 and 1400–1800 cm^{-1} regions with CO_2 absorption most evident in the 600–750 cm^{-1} region. Weak CO_2 bands occur at 961, 1064, 1260, 1366, and 1932 cm^{-1} . The broad feature in the 900–1200 cm^{-1} region is attributed to Martian silicate dust.

ORBITAL INFORMATION

Each IRIS spectrum was obtained in a 21 second frame which is equivalent to 18 DAS counts of the spacecraft clock. Orbital data for the spectra were obtained from the Supplementary Experimenter Data Records (SEDR) produced by the Jet

Propulsion Laboratory (JPL). The content of these records is described in Appendix C. Three SEDR records were generated for each IRIS frame, keyed to the IRIS frame starting DAS time. They are spaced to represent the IRIS orbital parameters at the starting DAS time plus 3, 9 and 15 counts. The orbital information contained in the IRIS Reduced Data Record (RDR) was extracted from the SEDR record which most closely corresponded to the center of the IRIS frame (count 9). In some instances, a matching SEDR record could not be found. In these cases, some of the orbital data were estimated according to the following procedure:

- a. If the IRIS record was located between two records for which orbital data were available, the data points were interpolated based upon DAS time, or
- b. If the IRIS record was located at the start or end of an orbit, the data were extrapolated by DAS time, using the best available orbital information. Word 93 of each IRIS RDR was set to 1.0 when the orbital data were estimated and to zero otherwise. Only the following types of data were estimated; all other orbital data were zeroed out:

Orbit number

Latitude and longitude of the center of the viewed area

Solar lighting angle

Viewing angle

Ten latitude and longitude points defining the field-of-view (each pair is set equal to the center latitude and longitude)

Mars local time

All latitude and longitude values have been corrected to conform to the new Mars pole and prime meridian. The correction was done using the algorithm developed by JPL and described in TM-33-585, "MM 71 TV Picture Catalog". The original (uncorrected) "center of the field-of-view latitude and longitude" were retained in Words 89 and 90 of RDR.

Appendix A contains a summary of event day, calendar date and GMT time of periapsis and DAS time at periapsis for each revolution during the orbital mission when data were obtained.

RDR DATA FORMAT

Magnetic Tape Format:

9 track, 1 file, no label

Density: ~~1000~~ BPI (DEN-4)

Record Format: Variable Length, Scanned (RECFM=VS)

Longest Record Length: 6404 Bytes (LRECL=6404)

Blocksize: 6408 Bytes (BLKSIZE=6408)

I/O Method: All records were written to tape using a FORTRAN unformatted WRITE statement, i. e.

WRITE (unit) (RDR(I), I=1, 1600)

Record Format: Each tape contains seven types of RDR's (one each of types 1 through 6, followed by a string of type 7):

<u>Record Type</u>	<u>Name</u>
1	Tape Summary
2	Cold Reference Calibration
3	Warm Reference Calibration
4	Average Normalized Responsivity
5	Noise Equivalent Radiance
6	Average Instrument Temperature
7	Calibrated Martian Spectrum

Appendix B describes the content of each type RDR. Each RDR consists of 100 words of header information followed by 1500 words of data. All words are full-word floating point binary values. The following table lists the content of each tape by revolution number and DAS time.

<u>Tape</u>	<u>No. Records</u>	<u>Revolution Range</u>	<u>DAS Time Range</u>
IRIS-1	4946	1-42	1672865-3109687
IRIS-2	5198	43-100	3139524-5169569
IRIS-3	3675	101-138	5236507-6536827
IRIS-4	4441	139-178	6571914-7976867
IRIS-5	2907	179-676	8043122-13507967
TOTAL	21167	1-676	1672865-13507967

ACKNOWLEDGEMENT

The following people contributed substantially to the development of the Mariner 9 IRIS reduced data records: F. Rockwell, R. Long, R. Bevacqua, J. Frost and P. Corbin of Consultants and Designers, Inc.; L. Herath of Goddard Space Flight Center; T. Burke of Jet Propulsion Laboratory.

REFERENCES

- Conrath, B., R. Curran, R. Hanel, V. Kunde, W. Maguire, J. Pearl, J. Pirraglia, J. Welker, and T. Burke, Atmospheric and Surface Properties of Mars Obtained by Infrared Spectroscopy on Mariner 9, *JGR*, 78, 4267, 1973.
- Curran, R. J., B. J. Conrath, R. A. Hanel, V. G. Kunde, and J. C. Pearl, Mars: Mariner 9 Spectroscopic Evidence for H₂O Ice Clouds, to be published in *Science*, 1973.
- Hanel, R., B. Schlachman, E. Brelhan, R. Bywaters, F. Chapman, M. Rhodes, D. Rodgers, and D. Vanous, Mariner 9 Michelson Interferometer, *Appl. Opt.*, 11, 2625, 1972a.
- Hanel, R. A., B. J. Conrath, W. A. Hovis, V. G. Kunde, P. D. Lowman, J. C. Pearl, C. Prabhakara, B. Schlachman, and G. V. Levin, Infrared Spectroscopy Experiment on the Mariner 9 Mission: Preliminary Results, *Science*, 175, 305, 1972b.
- Hanel, R., B. Conrath, W. Hovis, V. Kunde, P. Lowman, W. Maguire, J. Pearl, J. Pirraglia, C. Prabhakara, B. Schlachman, G. Levin, P. Straat, and T. Burke, Investigation of the Martian Environment by Infrared Spectroscopy on Mariner 9, *Icarus*, 17, 423, 1972c.
- Hanel, R. A., B. J. Conrath, V. G. Kunde, C. Prabhakara, I. Revah, V. V. Salomonson, and G. Wolford, The Nimbus 4 Infrared Spectroscopy Experiment 1. Calibrated Thermal Emission Spectra, *JGR*, 77, 2629, 1972d.




Figure 1. Emissivity of the Warm Calibration Source




Figure 2. Average Spectral Amplitude of 1766 W arm Calibration Spectra




Figure 3. Average Spectral Amplitude of 1766 Cold Calibration Spectra




Figure 4. Average Instrument Spectral Responsivity Based on 1766 Calibration Pairs




Figure 5. Instrumental NER determined from standard deviation of responsivity. The sharp numbered spikes are due to interference from the spacecraft or other experiments.




Figure 6. Instrument Temperature as Derived From Calibration Equations




Figure 7. Wave Number Transfer Function to Correct Observed Wave Number for Finite Field-of-View Effects




Figure 8. Average Radiance Spectrum




Figure 9. Average Brightness Temperature Spectrum

Table 1

Spectral Emissivity of the Warm Calibration Source

Wave Number (cm ⁻¹)	Emissivity	Wave Number (cm ⁻¹)	Emissivity
370	1.00	.	.
375	1.00	920	1.00
380	1.00	925	1.00
385	1.00	930	1.00
390	1.00	935	1.00
395	0.99	940	1.00
400	0.99	945	1.00
405	0.99	950	1.00
410	0.99	955	1.00
415	0.99	960	0.99
420	0.98	965	0.99
425	0.98	970	0.99
430	0.98	975	0.99
435	0.97	980	0.99
440	0.97	985	0.99
445	0.96	990	0.98
450	0.96	995	0.98
455	0.95	1000	0.98
460	0.95	1005	0.98
465	0.95	1010	0.97
470	0.95	1015	0.97
475	0.95	1020	0.96
480	0.96	1025	0.96
485	0.97	1030	0.96
490	0.98	1035	0.95
495	0.99	1040	0.95
500	0.99	1045	0.94
505	0.99	1050	0.94
510	1.00	1055	0.94
515	1.00	1060	0.94
520	1.00	1065	0.93
525	1.00	1070	0.93
530	1.00	1075	0.93
.	.	1080	0.92
.	.	1085	0.92
.	.	1090	0.92

Table 1 (Continued)

Wave Number (cm ⁻¹)	Emissivity	Wave Number (cm ⁻¹)	Emissivity
1095	0.92	1160	0.98
1100	0.91	1165	0.98
1105	0.91	1170	0.98
1110	0.91	1175	0.99
1115	0.92	1180	0.99
1120	0.92	1185	0.99
1125	0.92	1190	0.99
1130	0.93	1195	0.99
1135	0.94	1200	0.99
1140	0.95	1205	1.00
1145	0.96	1210	1.00
1150	0.96	1215	1.00
1155	0.97	1220	1.00

APPENDIX A
REVOLUTION SUMMARY

REVOLUTION	EVENT DAY	DATE	HOUR	MINUTE	SECOND	DAS TIME
2	319	15 NOV 71	1	49	49	1711903
3	319	15 NOV 71	14	23	41	1749596
5	320	16 NOV 71	14	56	38	1780490
6	321	17 NOV 71	2	55	23	1816428
7	321	17 NOV 71	14	54	5	1852363
8	322	18 NOV 71	2	52	43	1888295
9	322	18 NOV 71	14	51	12	1924219
10	323	19 NOV 71	2	49	38	1960141
11	323	19 NOV 71	14	47	56	1996056
12	324	20 NOV 71	2	46	9	2031967
13	324	20 NOV 71	14	44	12	2067870
14	325	21 NOV 71	2	42	13	2103770
15	325	21 NOV 71	14	40	4	2139663
16	326	22 NOV 71	2	37	53	2175554
17	326	22 NOV 71	14	35	36	2211440
18	327	23 NOV 71	2	33	15	2247323
19	327	23 NOV 71	14	30	52	2283204
20	328	24 NOV 71	2	28	26	2319082
21	328	24 NOV 71	14	26	2	2354962
22	329	25 NOV 71	2	23	35	2390840
23	329	25 NOV 71	14	21	13	2426721
24	330	26 NOV 71	2	18	49	2462602
25	330	26 NOV 71	14	16	29	2498485
26	331	27 NOV 71	2	14	12	2534371
27	331	27 NOV 71	14	12	2	2570263
28	332	28 NOV 71	2	9	56	2606158
29	332	28 NOV 71	14	7	56	2642058
30	333	29 NOV 71	2	6	3	2677964
31	333	29 NOV 71	14	4	15	2713874
32	334	30 NOV 71	2	2	34	2749790
33	334	30 NOV 71	14	0	59	2785711
34	335	1 DEC 71	1	59	32	2821639
35	335	1 DEC 71	13	58	8	2857569
36	336	2 DEC 71	1	56	51	2893503
37	336	2 DEC 71	13	53	36	2929442
38	337	3 DEC 71	1	54	25	2965384
39	337	3 DEC 71	13	53	18	3001325
40	338	4 DEC 71	1	52	7	3037269

REVOLUTION	EVENT DAY	DATE	HOUR	MINUTE	SECOND	DAS TIME
41	338	4 DEC 71	13	50	58	3073211
42	339	5 DEC 71	1	49	46	3109151
43	339	5 DEC 71	13	48	32	3145090
44	340	6 DEC 71	1	47	11	3181022
45	340	6 DEC 71	13	45	47	3216953
46	341	7 DEC 71	1	44	15	3252876
47	341	7 DEC 71	13	42	39	3288796
48	342	8 DEC 71	1	40	54	3324709
49	342	8 DEC 71	13	39	5	3360618
50	343	9 DEC 71	1	37	7	3396520
51	343	9 DEC 71	13	35	5	3432418
52	344	10 DEC 71	1	32	54	3468310
53	344	10 DEC 71	13	30	40	3504198
54	345	11 DEC 71	1	28	22	3540083
55	345	11 DEC 71	13	26	0	3575965
56	346	12 DEC 71	1	23	37	3611845
57	346	12 DEC 71	13	21	10	3647723
58	347	13 DEC 71	1	18	46	3683603
59	347	13 DEC 71	13	16	18	3719480
60	348	14 DEC 71	1	13	55	3755361
61	348	14 DEC 71	13	11	32	3791242
62	349	15 DEC 71	1	9	15	3827128
63	349	15 DEC 71	13	7	0	3863016
64	350	16 DEC 71	1	4	52	3898909
65	350	16 DEC 71	13	2	47	3934805
66	351	17 DEC 71	1	0	49	3970707
67	351	17 DEC 71	12	58	58	4006614
68	352	18 DEC 71	0	57	12	4042526
69	352	18 DEC 71	12	55	35	4078446
70	353	19 DEC 71	0	54	2	4114368
71	353	19 DEC 71	12	52	36	4150297
72	354	20 DEC 71	0	51	14	4186228
73	354	20 DEC 71	12	49	59	4222166
74	355	21 DEC 71	0	48	45	4258105
75	355	21 DEC 71	12	47	36	4294047
76	356	22 DEC 71	0	46	26	4329989
77	356	22 DEC 71	12	45	18	4365933
78	357	23 DEC 71	0	44	8	4401874

REVOLUTION	EVENT DAY	DATE	HOUR	MINUTE	SECOND	DAS TIME
79	357	23 DEC 71	12	42	55	4437813
80	358	24 DEC 71	0	41	36	4473750
81	358	24 DEC 71	12	40	17	4509682
82	359	25 DEC 71	0	38	51	4545610
83	359	25 DEC 71	12	37	16	4581532
84	360	26 DEC 71	0	35	39	4617450
85	360	26 DEC 71	12	33	50	4653360
86	361	27 DEC 71	0	32	0	4689268
87	361	27 DEC 71	12	29	59	4725168
88	362	28 DEC 71	0	27	54	4761064
89	362	28 DEC 71	12	25	43	4796954
90	363	29 DEC 71	0	23	27	4832841
91	363	29 DEC 71	12	21	7	4868725
92	364	30 DEC 71	0	18	45	4904606
93	364	30 DEC 71	12	16	20	4940485
94	364	31 DEC 71	12	16	16	4987981
95	365	1 JAN 72	0	15	5	5023921
96	1	1 JAN 72	12	13	59	5059866
97	1	2 JAN 72	0	12	53	5095811
98	2	2 JAN 72	12	11	52	5131761
99	2	3 JAN 72	0	10	52	5167711
100	3	3 JAN 72	12	9	59	5203667
101	3	4 JAN 72	0	9	10	5239626
102	4	4 JAN 72	12	8	27	5275591
103	4	5 JAN 72	0	7	50	5311559
104	5	5 JAN 72	12	7	17	5347533
105	5	6 JAN 72	0	6	52	5383512
106	6	6 JAN 72	12	6	32	5419495
107	6	7 JAN 72	0	6	18	5455483
108	7	7 JAN 72	12	6	8	5491475
109	7	8 JAN 72	0	6	5	5527473
110	8	8 JAN 72	12	6	3	5563471
111	8	9 JAN 72	0	6	7	5599474
112	9	9 JAN 72	12	6	11	5635478
113	9	10 JAN 72	0	6	17	5671483
114	10	10 JAN 72	12	6	22	5707488
115	10	11 JAN 72	0	6	28	5743493
116	11	11 JAN 72	12	6	31	5779495
117	11	11 JAN 72	0	6		

REVOLUTION	EVENT DAY	DATE	HOUR	MINUTE	SECOND	DAS TIME
110	12	12 JAN 72	0	6	31	5815495
119	12	12 JAN 72	12	6	27	5851492
120	13	13 JAN 72	0	6	16	5887483
121	13	13 JAN 72	12	6	3	5923473
122	14	14 JAN 72	0	5	41	5959454
123	14	14 JAN 72	12	5	15	5995433
124	15	15 JAN 72	0	4	41	6031404
125	15	15 JAN 72	12	4	4	6067373
126	16	16 JAN 72	0	3	18	6103335
127	16	16 JAN 72	12	2	28	6139294
128	17	17 JAN 72	0	1	32	6175248
129	17	17 JAN 72	12	0	32	6211198
130	17	17 JAN 72	23	59	29	6247145
131	18	18 JAN 72	11	58	22	6283089
132	18	18 JAN 72	23	57	15	6319033
133	19	19 JAN 72	11	56	4	6354974
134	19	19 JAN 72	23	54	55	6390918
135	20	20 JAN 72	11	53	44	6426858
136	20	20 JAN 72	23	52	38	6462803
137	21	21 JAN 72	11	51	31	6498748
138	21	21 JAN 72	23	50	31	6534698
139	22	22 JAN 72	11	49	31	6570648
140	22	22 JAN 72	23	48	38	6606603
141	23	23 JAN 72	11	47	47	6642562
142	23	23 JAN 72	23	47	4	6678526
143	24	24 JAN 72	11	46	27	6714495
144	24	24 JAN 72	23	45	54	6750468
145	25	25 JAN 72	11	45	28	6786446
146	25	25 JAN 72	23	45	8	6822429
147	26	26 JAN 72	11	44	54	6858418
148	26	26 JAN 72	23	44	44	6894410
149	27	27 JAN 72	11	44	40	6930407
150	27	27 JAN 72	23	44	38	6966405
151	28	28 JAN 72	11	44	42	7002409
152	28	28 JAN 72	23	44	46	7038412
153	29	29 JAN 72	11	44	53	7074418
154	29	29 JAN 72	23	44	59	7110423
155	30	30 JAN 72	11	45	4	7146427

REVOLUTION	EVENT DAY	DATE	HOOR	MINUTE	SECOND	DAS TIME
156	30	30 JAN 72	23	45	7	7182430
157	31	31 JAN 72	11	45	7	7218430
158	31	31 JAN 72	23	45	3	7254427
159	32	1 FEB 72	11	44	53	7290419
160	32	1 FEB 72	23	44	41	7326408
161	33	2 FEB 72	11	44	20	7362391
162	33	2 FEB 72	23	43	54	7398370
163	34	3 FEB 72	11	43	21	7434342
164	34	3 FEB 72	23	42	43	7470311
165	35	4 FEB 72	11	41	57	7506273
166	35	4 FEB 72	23	41	9	7542233
167	36	5 FEB 72	11	40	13	7576166
168	36	5 FEB 72	23	39	14	7614137
169	37	6 FEB 72	11	38	11	7650085
170	37	6 FEB 72	23	37	4	7686029
171	38	7 FEB 72	11	35	56	7721972
172	38	7 FEB 72	23	34	45	7757913
173	39	8 FEB 72	11	33	36	7793856
174	39	8 FEB 72	23	32	26	7829798
175	40	9 FEB 72	11	31	20	7865743
176	40	9 FEB 72	23	30	12	7901687
177	41	10 FEB 72	11	29	12	7937636
178	41	10 FEB 72	23	28	11	7973586
179	42	11 FEB 72	11	27	18	8009542
180	42	11 FEB 72	23	26	28	8045500
181	43	12 FEB 72	11	25	44	8081463
182	43	12 FEB 72	23	25	5	8117431
183	44	13 FEB 72	11	24	32	8153404
184	44	13 FEB 72	23	24	6	8189383
185	45	14 FEB 72	11	23	45	8225365
186	45	14 FEB 72	23	23	31	8261354
187	46	15 FEB 72	11	23	20	8297344
188	46	15 FEB 72	23	23	17	8333342
189	47	16 FEB 72	11	23	15	8369340
190	47	16 FEB 72	23	23	19	8405344
191	48	17 FEB 72	11	23	22	8441347
192	48	17 FEB 72	23	23	28	8477352
193	49	18 FEB 72	11	23	35	8513358

REVOLUTION	EVENT DAY	DATE	HOUR	MINUTE	SECOND	OAS TIME
194	49	18 FEB 72	23	23	41	8549363
195	50	19 FEB 72	11	23	45	8585366
196	50	19 FEB 72	23	23	45	8621366
197	51	20 FEB 72	11	23	42	8657364
198	51	20 FEB 72	23	23	33	8693356
199	52	21 FEB 72	11	23	20	8729346
200	52	21 FEB 72	23	22	59	8765329
201	53	22 FEB 72	11	22	35	8801309
202	53	22 FEB 72	23	22	2	8837281
203	54	23 FEB 72	11	21	25	8873250
204	54	23 FEB 72	23	20	40	8909213
205	55	24 FEB 72	11	19	50	8945172
206	55	24 FEB 72	23	18	55	8981126
207	56	25 FEB 72	11	17	57	9017078
208	56	25 FEB 72	23	16	54	9053025
209	57	26 FEB 72	11	15	48	9088970
210	57	26 FEB 72	23	14	40	9124914
211	58	27 FEB 72	11	13	29	9160854
212	58	27 FEB 72	23	12	21	9196798
213	59	28 FEB 72	11	11	9	9232739
214	59	28 FEB 72	23	10	2	9268683
215	60	29 FEB 72	11	8	55	9304627
216	60	29 FEB 72	23	7	54	9340576
217	61	1 MAR 72	11	6	54	9376526
218	61	1 MAR 72	23	6	0	9412481
219	62	2 MAR 72	11	5	9	9448439
220	62	2 MAR 72	23	4	25	9484403
221	63	3 MAR 72	11	3	47	9520371
222	63	3 MAR 72	23	3	13	9556343
223	64	4 MAR 72	11	2	47	9592321
224	64	4 MAR 72	23	2	25	9628303
225	65	5 MAR 72	11	2	11	9664292
226	65	5 MAR 72	23	2	0	9700262
227	66	6 MAR 72	11	1	56	9736279
228	66	6 MAR 72	23	1	53	9772277
229	67	7 MAR 72	11	1	57	9808280
230	67	7 MAR 72	23	2	1	9844284
231	68	8 MAR 72	11	2	8	9880289

REVOLUTION	EVENT DAY	DATE	HOUR	MINUTE	SECOND	DAS TIME
232	68	8 MAR 72	23	2	14	9916295
233	69	9 MAR 72	11	2	20	9952300
234	69	9 MAR 72	23	2	23	9988303
235	70	10 MAR 72	11	2	25	10024304
236	70	10 MAR 72	23	2	21	10060302
237	71	11 MAR 72	11	2	13	10096295
238	71	11 MAR 72	23	2	1	10132285
239	72	12 MAR 72	11	1	41	10168268
240	72	12 MAR 72	23	1	17	10204248
241	73	13 MAR 72	11	0	44	10240221
242	73	13 MAR 72	23	0	7	10276190
243	74	14 MAR 72	10	59	23	10312153
244	74	14 MAR 72	22	58	34	10348113
246	75	15 MAR 72	22	56	41	10420019
247	76	16 MAR 72	10	55	38	10455967
248	76	16 MAR 72	22	54	32	10491912
259	82	22 MAR 72	10	43	7	10613827
260	82	22 MAR 72	22	42	28	10649794
261	83	23 MAR 72	10	41	55	10685767
262	83	23 MAR 72	22	41	27	10721744
270	87	27 MAR 72	22	40	48	11009712
276	157	5 JUN 72	21	23	26	11227610
416	160	8 JUN 72	21	18	10	11443347
423	164	12 JUN 72	9	16	9	11656145
437	171	19 JUN 72	9	14	51	12010179
445	175	23 JUN 72	9	7	14	12186047
451	178	26 JUN 72	9	0	36	12361565
459	182	30 JUN 72	8	55	37	12535415
479	192	10 JUL 72	8	51	44	12901273
668	286	12 OCT 72	19	11	20	13348239
676	290	16 OCT 72	19	6	7	13494477

APPENDIX B

REDUCED DATA RECORD (RDR) FORMAT

IRIS REDUCED DATA RECORD

TYPE 1 — Summary Record

<u>Word No.</u>	<u>Content</u>
1	Record Type Identification (1.0 = Summary)
2	Spacecraft Identification (always = 2.0)
3	Receiving Station Identification
4	Number of Calibrated Martian Spectra on this Tape
5	Apodization (0.0 = Unapodized, 1.0 = Apodized)
6	Phase Angle Correction Type (always = 1.0)
7	IFM Spike Peak Rejection Value (always = 0.02)
8-29	Spare (always = 0.0)
30	DAS Time of First Calibrated Martian Spectrum on this Tape
31	DAS Time of Last Calibrated Martian Spectrum on this Tape
32	Number of Warm-Cold Calibration Pairs Used to Calibrate the Martian Spectra
33-51	Spare (always 0.0)
52	Warm Blackbody Temperature (≈ 296 K)
53	Cold Blackbody Temperature (≈ 0.0 K)
54-95	Spare (always = 0.0)
96 (Note 1)	"A" Value of Wave Number Table Correction (always = 0.016087)
97 (Note 1)	"B" Value of Wave Number Table Correction (always = 0.0010602)
98	Observed Wave Number at First Mesh Point (ν_1^{obs} always = 199.92 cm^{-1})
99	Wave Number Mesh Increment (always = 1.176 cm^{-1})
100	Number of Words in Wave Number Table (always = 1500.0)
101-1600	Wave Number Table Corrected for Finite Field-of-View (ν_i^{corr} (cm^{-1}))

Note 1: $\nu_i^{\text{obs}} = 199.92 + (i - 1) * 1.176, i = 1, \dots, 1500$

$$\nu_i^{\text{corr}} = (A + \nu_i^{\text{obs}})/(1.0 + B)$$

IRIS REDUCED DATA RECORD

TYPE 2 -- Cold Reference Calibration Spectrum (Blackbody)

<u>Word No.</u>	<u>Content</u>
1	Record Type Identification (2.0 = Cold Blackbody)
2	Number of Cold Blackbody Spectra Used in Average Calculation
3-100	Spares (always = 0.0)
101-1600	Average Cold Reference Calibration Power Spectrum

IRIS REDUCED DATA RECORD

TYPE 3 — Warm Reference Calibration Spectrum (Blackbody)

<u>Word No.</u>	<u>Contents</u>
1	Record Type Identification (3.0 = Warm Blackbody)
2	Number of Warm Blackbody Spectra Used in Average Calculation
3-100	Spares (always = 0.0)
101-1600	Average Warm Reference Calibration Power Spectrum

IRIS REDUCED DATA RECORD
TYPE 4 — Average Normalized Responsivity

<u>Word No.</u>	<u>Contents</u>
1	Record Type Identification (4.0 = Responsivity)
2	Number of Calibration Warm-Cold Blackbody Pair Used in Responsivity Calculation
3-100	Spares (always = 0.0)
101-1600	Average Spectral Responsivity

IRIS REDUCED DATA RECORD
TYPE 5 — Noise Equivalent Radiance

<u>Word No.</u>	<u>Contents</u>
1	Record Type Identification (5.0 = NER)
2-100	Spares (always = 0.0)
101-1600	Noise Equivalent Radiance Spectrum ($\text{Wcm}^{-2} \text{sr}^{-1} / \text{cm}^{-1}$)

IRIS REDUCED DATA RECORD
TYPE 6 — Average Instrument Temperatures

<u>Word No.</u>	<u>Contents</u>
1	Record Type Identification (6.0 = Instrument Temperature)
2-100	Spares (always = 0.0)
101-1600	Average Instrument Temperatures Spectrum (K)

IRIS REDUCED DATA RECORD
TYPE 7 — Calibrated Martian Spectrum

<u>Word No.</u>	<u>POGASIS Variable*</u>	<u>Contents</u>
1		Record Type Identification (7.0 = Calibrated Martian Spectrum)
2	ON	Orbit Number (Range from 1.0 to 676.0)
3		Spectrum Number; the Sequence Number of the Spectrum on this Tape
4		Day
5		Hour
6		Minute
7		Second
		Earth Receipt Time (GMT)
8	LATP5	Latitude of the Center of the Viewed Area (+ = North Latitude, - = South Latitude)
9	LONP5	Longitude of the Center of the Viewed Area (0.0 to 360.0)
10		Spare (always = 0.0)
11		Bolometer Temperature (K); Average of the Readings Before and After Interferogram (IFM)
12		Bolometer Temperature Redundant Sensor (K)
13		Blackbody Temperature (K); Average of the Readings Before and After IFM
14		Blackbody Temperature Redundant Sensor (K)
15		Beamsplitter Temperature (K); Average of the Readings Before and After IFM
16		Michelson Mirror Drive Motor Temperature (K); Average of the Readings Before and After IFM
17		Temperature (K) of 45° Calibration Mirror: Average of the Readings Before and After IFM
18		Radiating Surface Temperature (K); Average of the Readings Before and After IFM

<u>Word No.</u>	<u>POGASIS Variable*</u>	<u>Contents</u>
19		Year
20		Day
21		Hour
22		Minute
23		Second
24	TFP	Time Before/After Periapsis (minutes; - = Before, + = After)
25-29		Spare (always = 0.0)
30		DAS Time
31	HSC	Spacecraft Altitude (kilometers)
32		Clock
33		Cone
34		Twist
35		Scan Platform In-Motion Flag (1.0 = yes, 0.0 = no)
36	TA	Spacecraft True Anomaly (degrees)
37	VT	Spacecraft Tangential Velocity (km/sec)
38	RT	Spacecraft Radial Velocity (km/sec)
39		Telemetry Received Flag (always = 1.0 . . . yes)
40	LA5	Solar Lighting
41	PHA5	Phase
42	VA5	Viewing
43	SRP5	Slant Range to the Center of the Field-of-View (kilometers)
44-53	LATQ	Ten Latitude Points Defining the Field-of-View
54-63	LONQ	Ten Corresponding Longitude Points Defining the Field-of-View
64	PST5	Angle at Spacecraft Between LOS and Center of Mars (degrees)

<u>Word No.</u>	<u>POGASIS Variable*</u>	<u>Contents</u>
65	ASDT	Angular Semi-Diameter of Mars (degrees)
66	TPCA	Cone Angle of Center of Mars (degrees)
67	TPKA	Clock Angle of Center of Mars (degrees)
68	RMAG	Range to Center of Mars (kilometers)
69	MCA1	Cone } Phobos Angles (degrees)
70	MKA1	
71	SMN1	Distance to Phobos (kilometers)
72	MCA2	Cone } Deimos Angles (degrees)
73	MKA2	
74	SMN2	Distance to Deimos (kilometers)
75	ZLAT	Sub-Solar Point Latitude (degrees)
76	ZLON	Sub-Solar Point Longitude (degrees)
77	MHA	Mars Local Time (hours)
78		Scan Enabled Flag
79-81		Spare (always = 0.0)
82	PIVILT	Percent of Target Illumination
83		Subspacecraft Latitude (degrees)
84		Subspacecraft Longitude (degrees)
85	LTO	Evening Terminator Longitude at Equator (degrees)
86	LTP45	Evening Terminator Longitude at 45N (degrees)
87	LTM45	Evening Terminator Longitude at 45S (degrees)
88	PSL5	Angle Between LOS and Nearest Limb of Mars (degrees)
89-90		Latitude and longitude, respectively, of the center of the viewed area with respect to pre-Mariner 9 Mars pole direction and prime meridian (Icarus, 3, 236, (1964))
91		Proportion of Field-of-View Filled by Mars

<u>Word No.</u>	<u>POGASIS Variable*</u>	<u>Contents</u>
92		Paint Emissivity Correction Applied to Data (always = 1.0 . . . yes)
93		Navigation Data Estimated (1.0 = yes, 0.0 = no)
94-95		Spare (always = 0.0)
96		"A" Part of Wave Number Correction (See Type 1 Summary Record)
97		"B" Part of Wave Number Correction (See Type 1 Summary Record)
98		Observed Wave Number at First Mesh Point (See Type 1 Summary Record)
99		Wave Number Mesh Increment (See Type 1 Summary Record)
100		Number of Data Points (always = 1500.0)
101-1600		Specific Intensity ($W cm^{-2} sr^{-1} / cm^{-1}$)

*The POGASIS variable is the name of the program variable used to calculate the data by the Jet Propulsion Laboratory (JPL). Questions concerning the methods of their calculation should be addressed to JPL.

APPENDIX C

SUPPLEMENTARY EXPERIMENTER DATA RECORD (SEDR) FORMAT

APPENDIX C

This Appendix describes the content of the SEDR information provided by JPL. An asterisk (*) preceding the field number indicates that the field was merged into the header of the IRIS RDR.

RECORD LENGTH = 424 BYTES

TAPE CHARACTER CODE EXTENDED BINARY CODED DECIMAL INTER-
CHANGE CODE (EBCDIC)

C = CHARACTER STRING

F = BINARY (FIXED POINT)

<u>FIELD NO.</u>	<u>FIELD LENGTH</u>	<u>CONTENT</u>	<u>DATA TYPE</u>	<u>DECIMALS</u>	<u>NOTES</u>
1	6	MEASUREMENT ID	C	-	SCISM VARIABLE, ALPHA NUMERIC
2	2	INSTRUMENT NO.	F	0	SCISM VARIABLE
*3	2	MEASUREMENT TIME, YEAR	F	0	
*4	2	MEASUREMENT TIME, DAY OF YEAR	F	0	
*5	2	MEASUREMENT TIME, HOUR OF DAY	F	0	
*6	2	MEASUREMENT TIME, MINUTE OF HOUR	F	0	
*7	2	MEASUREMENT TIME, SECOND OF MINUTE	F	0	
8	2	MEASUREMENT TIME, MILLISECONDS	F	0	
9	4	DAS TIME	F	0	
*10	2	EARTH RECEIVED TIME, YEAR	F	0	ERT FROM TELEMETRY, GMT
*11	2	ERT, DAY	F	0	
*12	2	ERT, HOUR	F	0	
*13	2	ERT, MINUTE	F	0	
*14	2	ERT, SECOND	F	0	
15	2	ERT, MILLISECOND	F	0	

<u>FIELD NO.</u>	<u>FIELD LENGTH</u>	<u>CONTENT</u>	<u>DATA TYPE</u>	<u>DECI-MAIS</u>	<u>NOTES</u>
*16	4	TIME BEFORE PERI-APSIS, SECONDS	F	0	POGASIS VARIABLE TFP
17	4	SPACECRAFT ID,	C	-	ALPHA NUMERIC
18	2	SAS SERIAL NO.	F	0	
*19	2	ORBIT NO.	F	0	POGASIS VARIABLE ON
20	6	ORBIT SOLUTION NO.	C	-	POGASIS VARIABLE ODSN, ALPHA NUMERIC
21	2	DATE OF SOLUTION, YEAR	F	0	DATE OF ORBIT SOLUTION
22	2	DATE OF SOLUTION, MONTH OF YEAR	F	0	
23	2	DATE OF SOLUTION, DAY OF MONTH	F	0	
24	2	DATE OF SOLUTION, HOUR OF DAY	F	0	
25	2	DATE OF SOLUTION, MINUTE OF HOUR	F	0	
26	4	DATE OF SOLUTION, SECOND OF MINUTE	F	0	
27	12	MDR REEL NO.	C	-	ALPHA NUMERIC
28	12	EDR REEL NO.	C	-	ALPHA NUMERIC
*29	4	SPACECRAFT ALTITUDE, KM	F	0	POGASIS VARIABLE HSC
*30	4	SCAN PLATFORM CLOCK ANGLE	F	2	
*31	4	SCAN PLATFORM CONE ANGLE	F	2	
*32	4	SCAN PLATFORM TWIST ANGLE	F	2	
*33	4	SCAN PLATFORM IN MOTION FLAG	F	0	

<u>FIELD NO.</u>	<u>FIELD LENGTH</u>	<u>CONTENT</u>	<u>DATA TYPE</u>	<u>DECIMALS</u>	<u>NOTES</u>
*34	4	SPACECRAFT TRUE ANOMALLY, DEG	F	2	POGASIS VARIABLE TA
*35	2	SPACECRAFT TANGENTIAL VELOCITY, KM/SEC	F	1	POGASIS VARIABLE VT
*36	2	SPACECRAFT RADIAL VELOCITY, KM/SEC	F	1	POGASIS VARIABLE VR
*37	4	TELEMETRY RECEIVED FLAG	F	0	
*38	4	SOLAR LIGHTING ANGLE FOR RETICLE 5	F	2	POGASIS VARIABLE LA5
*39	4	PHASE ANGLE FOR RETICLE 5	F	2	POGASIS VARIABLE PHA5
*40	4	VIEWING ANGLE FOR RETICLE 5	F	2	POGASIS VARIABLE VA5
*41	4	LATITUDE OF RETICLE 5	F	2	POGASIS VARIABLE LATP5
*42	4	LONGITUDE OF RETICLE 5	F	2	POGASIS VARIABLE LONP5
*43	4	SLANT RANGE TO RETICLE 5, KM	F	0	POGASIS VARIABLE SRP5
*44	4	LATITUDE OF POINT Q(1)	F	2	POGASIS VARIABLE LATQ(1)
45	4	LATQ(2)	F	2	
*46	4	LATQ(3)	F	2	
47	4	LATQ(4)	F	2	
*48	4	LATQ(5)	F	2	
49	4	LATQ(6)	F	2	
*50	4	LATQ(7)	F	2	
51	4	LATQ(8)	F	2	
*52	4	LATQ(9)	F	2	

<u>FIELD NO.</u>	<u>FIELD LENGTH</u>	<u>CONTENT</u>	<u>DATA TYPE</u>	<u>DECIMALS</u>	<u>NOTES</u>
53	4	LATQ(10)	F	2	
*54	4	LATQ(11)	F	2	
55	4	LATQ(12)	F	2	
*56	4	LATQ(13)	F	2	
57	4	LATQ(14)	F	2	
*58	4	LATQ(15)	F	2	
59	4	LATQ(16)	F	2	
*60	4	LATQ(17)	F	2	
61	4	LATQ(18)	F	2	
*62	4	LATQ(19)	F	2	
63	4	LATQ(20)	F	2	
*64	4	LONGITUDE OF POINT Q(1)	F	2	POGASIS VARIABLE LONQ(1)
65	4	LONQ(2)	F	2	
*66	4	LONQ(3)	F	2	
67	4	LONQ(4)	F	2	
*68	4	LONQ(5)	F	2	
69	4	LONQ(6)	F	2	
*70	4	LONQ(7)	F	2	
71	4	LONQ(8)	F	2	
*72	4	LONQ(9)	F	2	
73	4	LONQ(10)	F	2	
*74	4	LONQ(11)	F	2	
75	4	LONQ(12)	F	2	
*76	4	LONQ(13)	F	2	
77	4	LONQ(14)	F	2	
*78	4	LONQ(15)	F	2	
79	4	LONQ(16)	F	2	

<u>FIELD NO.</u>	<u>FIELD LENGTH</u>	<u>CONTENT</u>	<u>DATA TYPE</u>	<u>DECIMALS</u>	<u>NOTES</u>
*80	4	LONQ(17)	F	2	
81	4	LONQ(18)	F	2	
*82	4	LONQ(19)	F	2	
83	4	LONQ(20)	F	2	
*84	4	ANGLE AT SPACE-CRAFT BETWEEN LOS AND CENTER OF MARS	F	2	POGASIS VARIABLE PST 5
*85	4	ANGULAR SEMIDIAMETER OF MARS	F	2	POGASIS VARIABLE ASDT
*86	4	CONE ANGLE OF CENTER OF MARS	F	2	POGASIS VARIABLE TPCA
*87	4	CLOCK ANGLE OF CENTER OF MARS	F	2	POGASIS VARIABLE TPKA
*88	4	RANGE TO CENTER OF MARS, KM	F	0	POGASIS VARIABLE RMAG
*89	4	CONE ANGLE OF PHOBOS	F	2	POGASIS VARIABLE MCA1
*90	4	CLOCK ANGLE OF PHOBOS	F	2	POGASIS VARIABLE MKA1
*91	4	RANGE TO PHOBOS, KM	F	2	POGASIS VARIABLE SMN1
*92	4	CONE ANGLE OF DEIMOS	F	2	POGASIS VARIABLE MCA2
*93	4	CLOCK ANGLE OF DEIMOS	F	2	POGASIS VARIABLE MKA2
*94	4	RANGE TO DEIMOS, KM	F	2	POGASIS VARIABLE SMN2
*95	4	LATITUDE OF SUB-SOLAR POINT	F	2	POGASIS VARIABLE ZLAT
*96	4	LONGITUDE OF SUB-SOLAR POINT	F	2	POGASIS VARIABLE ZLON
*97	4	MARS LOCAL TIME (HOUR ANGLE FROM SUBSOLAR POINT), HRS	F	2	POGASIS VARIABLE MHA

<u>FIELD NO.</u>	<u>FIELD LENGTH</u>	<u>CONTENT</u>	<u>DATA TYPE</u>	<u>DECI- MALS</u>	<u>NOTES</u>
98	2	IMCC POSITION	F	0	FROM TELEMETRY
*99	2	SCAN ENABLED FLAG	F	0	FROM TELEMETRY
100	2	BLACKBODY TEMPER- ATURE, DN	F	0	FROM TELEMETRY
101	2	DETECTOR TEMPER- ATURE, DN	F	0	FROM TELEMETRY
102	2	RADIATING SURFACE TEMPERATURE, DN	F	0	FROM TELEMETRY
*103	2	PERCENT OF TARGET PLANET IN VIEW WHICH IS ILLUMINATED	F	0	POGASIS VARIABLE PIVILT
*104	4	LATITUDE OF SUB- SPACECRAFT POINT	F	2	POGASIS VARIABLE
*105	4	LONGITUDE OF SUB- SPACECRAFT POINT	F	2	POGASIS VARIABLE
*106	4	LONGITUDE OF TER- MINATOR AT 0 DEG LATITUDE	F	2	POGASIS VARIABLE LTO
*107	4	LONGITUDE OF TER- MINATOR AT +45 DEG LATITUDE	F	2	POGASIS VARIABLE LTP45
*108	4	LONGITUDE OF TER- MINATOR AT -45 DEG LATITUDE	F	2	POGASIS VARIABLE LTM45
*109	4	ANGLE BETWEEN LOS AND PLANETS NEAR- EST LIMB, NEGATIVE FOR INTERCEPTING PATHS	F	2	POGASIS VARIABLE PSL5
110	2	MARTIAN DATE (EQUI- VALENT EARTH DATE), MONTH	F	0	POGASIS VARIABLE
111	2	MARTIAN DATE, DAY	F	0	POGASIS VARIABLE
112	2	RESERVED AREA FOR ANNOTATION	C	-	

4528 - Handel
Virgil Kunda (622)
5693

RECORD 1 OF FILE
LENGTH = 6408 BYTES

Summary

[illegible]

[illegible]

435F4D8D	435F6058	435F7324	435F85EF	435F988B	435FAB87	435FBES3	435FD11F	435FE3EB	435FF687
43601C4E	43600982	43602F1A	436041E5	436054B1	4360677D	43607A49	43608915	43609FE1	4360B62D
4360D844	4360C578	4360EB0F	4360FDD8	436110A7	43612373	4361363F	43614908	43615BD7	43616EA2
4361943A	4361943A	4361A705	4361B9D1	4361CC9D	4361DF69	4361F235	43620501	436217CD	43622A58
43625030	436262FB	436262FB	436275C7	43628893	4362985F	4362A821	43623CF7	4362D3C2	4362E68E
43630C26	43631EF1	436331ED	436331ED	43634489	43635875	43636A21	43637CED	43638F88	4363A28A
436381C	4363DAE7	4363DAE7	4363DEB3	4364007F	43641348	43642617	436438E2	43644BAE	43645E7A
43648412	436456DD	436456DD	4364A59F	4364BC75	4364CFC4	4364E20D	4364F4D8	4365074A	43651A70
43654008	436552D3	436552D3	4365659F	4365786B	43658B37	43659E02	4365B0CE	4365C39A	4365O666
4365FBFD	43660EC9	43662195	43662195	43663461	4366472D	436659F8	43666CC4	43667F90	4366923C
4366B7F3	4366CABF	4366DD8B	4366DD8B	4366F057	43670322	436715EE	4367288A	43673B86	43674E52
436773E9	436786B5	43679581	43679581	4367ACAD	4367B818	4367D1E4	4367E480	4367F77C	43680A4B
43681D14	43682FDF	436842AB	43685577	43686842	4368780E	43688DDA	4368AA06	4368B372	4368C63E
4368FEA1	4368FEA1	4369116D	43692438	43692438	43693704	436949D0	43695C9C	43696F68	43698234
4369A7C8	4369BA97	4369CD62	4369E02E	4369F2FA	4369F2FA	436A05C6	436A1892	436A2B5E	436A3EA2
436A63C1	436A76BD	436A8958	436A9C24	436AAAE0	436AAAE0	436AC1BC	436AD488	436AE754	436AFA20
436B32B2	436B454E	436B454E	436B581A	436B685A	436B780E	436B8DBA	436B907E	436BA34A	436BB616
436BE278	436BE278	436C0144	436C1410	436C260C	436C39A8	436C4C7A	436C5F40	436C720C	436C804B
436C97A2	436CAAE6	436CB034	436CD006	436CE2D2	436CF59E	436D086A	436D1B36	436D2E9F	436D3E88
436DA664	436DA664	436D7930	436D88FC	436D99EC	436DB194	436DC460	436DD72C	436DE0F8	436E05ED
436E0F8E	436E225A	436E3526	436E47F2	436E5ABE	436E6D8A	436E8056	436E9322	436EA5ED	436EA5ED
436EC884	436ED5E0	436EF11C	436F03E8	436F168A	436F2980	436F3C4C	436F4F18	436F61E3	436F61E3
436F9A46	436FAD12	436FAD12	436FB0DE	436FD2AA	436FE576	436FF842	43700B0D	43701D08	43701D08
4370563C	437069C8	437069C8	43707BD4	43708EA0	4370A16C	4370B438	4370C703	4370D09E	4370D09E
43704370	4370563C	437124FE	437137CA	43714A96	43715062	4371702D	437182F9	437195C4	437195C4
43711232	437124FE	437124FE	437137CA	43714A96	43715062	4371702D	437182F9	437195C4	437195C4
4371CE28	4371E0FA	43720F66	43721E0FA	4372268C	43723958	437252C1	437264E9	4372751A	4372851A
4371B85C	43720F66	43720F66	43721E0FA	4372268C	43723958	437252C1	437264E9	4372751A	4372851A
43728A1E	43727F52	43728A1E	43729CEA	4372AFB6	4372C282	4372D54D	4372E819	4372FAE5	43730080
43734614	43734614	437358E0	437358E0	437368AC	43737E78	43739143	4373A40F	4373B6D8	4373C9A6
43733348	43734614	437358E0	437358E0	437368AC	43737E78	43739143	4373A40F	4373B6D8	4373C9A6
4373207C	43733348	43734614	437358E0						

LENGTH = 6408 BYTES

19080000	19040000	191700000	191100000	411100000	431130000	421000000	423300000	SEC
42568C80	00000000	42FC0000	00000000	43128611	00000000	42F80000	42F80000	42F70000
41100000	43255000	C0C00000	C3258000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	461986A1	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	423C6C28	00000000	424A8F5	43F9E000	C23E2BF9	C23E2BF9	C23E2BF9
C23E2BF9	C23E2BF9	C23E2BF9	C23E2BF9	C23E2BF9	C23E2BF9	C23E2BF9	C23E2BF9	C23E2BF9
42568C80	42568C80	42568C80	42568C80	42568C80	42568C80	42568C80	42568C80	42568C80
47703082	91C07024	4710305A	91407024	47103088	92487024	07F54110	C1681842	30884590
00000000	00000000	00000000	18245810	C1E407F9	92487024	07F54110	C1681842	30884590
C23D8B85	42560000	20029500	41100000	00000000	00000000	00000000	00000000	43167488
4112C800	0000050C	302F38C2	3C28A880	3C274E5E	3C2AA92D	3C2AA09E	3C4A08F8	3C452511
3C3628A3	3C374799	3C33D9C7	3C227087	3C347228	3C35C255	3C399899	3C39A123	3C38AD72
3C3C7CF6	3C3C5C0D	3C3A8BFC	3C3AA540	3C3CA296	3C3CB332	3C3AFF5D	3C3A7807	3C380AD7
3C3BDF08	3C3B311C	3C3C5077	3C3E3384	3C3F6F1E	3C3EF4D7	3C3FAD39	3C419A91	3C41E5CA
3C42C88F	3C4213FA	3C43A671	3C43A621	3C44B5AD	3C43CAE3	3C4A08F8	3C4AF5D8	3C4580F8
3C45A868	3C4A5972	3C45B3C0	3C465200	3C46C9E8	3C467D35	3C46871C	3C467632	3C475742
3C47BCCF	3C47A088	3C47E194	3C48E3E9	3C493710	3CAA3064	3CAAAD9E	3C490BD8	3C4839A3
3C48A882	3C480A97	3C48A50C	3C48F2C8	3C49D00F	3C48C18A	3C4C9114	3C4D6460	3C49E795
3C4EACAF	3C4DFC80	3C4DE15E	3C4EFC91	3C4F1C91	3CAEB683	3C4EE88A	3C4EE520	3C4F5917
3C509764	3C51310C	3C51D8DE	3C51FEDF	3C5178DF	3C51755D	3C514A24	3C51C712	3C52429F
3C540F3E	3C52FA08	3C5373AC	3C53A351	3C53D179	3C53D458	3C5418DE	3C54A488	3C541686
3C54D03C	3C54803C	3C54803C	3C54D487	3C5521AE	3C5488F9	3C548A2F	3C564F53	3C5690DA
3C56AA30	3C55189F	3C555920	3C55F346	3C568153	3C57256D	3C56E87E	3C575459	3C57ADAD
3C57ED44	3C58B13F	3C580CC1	3C57864C	3C57D1F1	3C5967A5	3C59E229	3C58FBAE	3C58F086
3C593030	3C590668	3C5949F7	3C598A58	3C59E846	3C5A59EB	3C5AC694	3C58370A	3C59ACCE
3C5AD516	3C5A88AC	3C5807D3	3C583D88	3C59E75B	3C5C79CA	3C5C2954	3C5843CA	3C5C99C9
3C5D1BE8	3C5D8330	3C5D8814	3C5D18ED	3C5C8A80	3C5C8458	3C5C807F	3C5CA452	3C5D18E4
3C5D160S	3C5D61E7	3C5D940F	3C5D678B	3C4D4086	3C5D087C	3C5D0830	3C5D28B0	3C5DA259
3C5D8BA0	3C5D8E91	3C5D8C61	3C5DDE96	3C5E4E49	3C5E4983	3C5E1D67	3C5E5063	3C5E4572
3C5DC1F1	3C5E39FB	3C5E649F	3C5EC00C	3C5EDB35	3C5E637D	3C5DEB47	3C5E50D3	3C5E8130
3C5E9C50	3C5E85C7	3C5E6DD1	3C5E1A03	3C5E12A5	3C5E2FCC	3C5E3440	3C5E5054	3C5EDFF7
3C5E0984	3C5DC484	3C5DAAT4	3C5E1F3A	3C5E9F13	3C5EE6D4	3C5E8491	3C5E0808	3C5E1C36
3C5D855E	3C5DE9D1	3C5D8AC8	3C5E1F5E	3C5E85C0	3C5E8D13	3C5E521F	3C5E074C	3C5E3137
3C5CEA7A	3C5D0E23	3C5E092E	3C5EA917	3C5E515F	3C5DE0E0	3C5E06C5	3C5D8466	3C5E5821
3C5E08B6	3C5D09AC9	3C5D02C80	3C5D6D76	3C5D54E6	3C5D15F1	3C5CFC68	3C5CAB4C	3C5C9DF25
3C5E08D6	3C5C6E8D	3C5CEA68	3C5CEA68	3C5C8148	3C5CD0DE	3C5C6AA1	3C5C4CF5	3C5C9CD05
3C5B8E37	3C5BD187	3C5B8F54	3C58579B	3C5859EC	3C583B7B	3C58E739	3C5891DF	3C580194
3C5A7FD4	3C5A325A	3C5A0A95	3C5A1A42	3C59B8FAC	3C5A0A87	3C59CF7E	3C59E3BF	3C5A921C
3C59C0C1	3C59A5A8	3C5910C4	3C591858	3C58EC54	3C5916EA	3C59A194	3C59738B	3C585458
3C589CDE	3C588C13	3C58D655	3C58C0C4	3C57E773	3C580360	3C588787	3C57FFFC	3C578063
3C56A4F9	3C558739	3C55C891	3C55E58D	3C55A258	3C55F6A5	3C560C2A	3C5543C7	3C5532E3
3C55A48D	3C5A67B8	3C5A93D5	3C5A4619	3C53D0FD	3C53F679	3C537316	3C536E8F	3C5405CB
3C54AD0C2	3C5A985F	3C5AFA91	3C54ADDD	3C53C80A	3C5A2967	3C54086C	3C54803B	3C53989E
3C538AAB	3C5354E6	3C52FC5F	3C530865	3C5386FA	3C544FAB	3C549A12	3C544FD7	3C5380CE
3C5380F1	3C53340E	3C52BDD2	3C53059C	3C52CEBE	3C52565F	3C527751	3C523D4E	3C5169AD
3C515D4A	3C517A83	3C51A432	3C51A621	3C51F838	3C527AB4	3C51A69B	3C5035A1	3C504240
3C50A746	3C50F150	3C50E060	3C501203	3C5043E0	3C5036DE	3C4FA549	3C4F9471	3C50697A
3C4FDD002	3C4F9ACF	3C4FBEA0	3C4F828E	3C4E740D	3C4E6107	3C4E44D7	3C4DCCF2	3C4C6FAE
3C4889C2	3C4C6690	3C4C1967	3C4ACA72	3C472C54	3C45EC06	3C48959A	3C49C291	3C49AFC5
3C4A5D2E	3C497C7E	3C48A4A7	3C48EE99	3C4935F9	3C482380	3C4A37B7	3C4D189	3C4A77B5
3C3C4684	3C375193	3C3FA760	3C456D0A	3C475C5F	3C46535A	3C4658E7	3C470F20	3C4833F9
3C467D28	3C463EC1	3C463304	3C465E372	3C4604FA	3C46B83B	3C475866	3C474506	3C47329A
3C47D84E	3C478B7A	3C472574	3C471852	3C470C2F	3C466697	3C464247	3C46E52D	3C47090D
3C45790B	3C444132	3C45A4C7	3C4588AB	3C452605	3C45C280	3C4516EE	3C43F32D	3C443824
3C428923	3C421709	3C4144D3	3C4103F6	3C423B77	3C41E999	3C4003B1	3C3EA95C	3C3E8699
3C3F3BE6	3C3F2AFA	3C3F89CB	3C3EEEC1	3C3E50FA	3C3E1WE7	3C3E5EBD	3C3DB904	3C3E0209
3C3F45FA	3C3D7F00	3C3C11FF	3C3C06D3	3C3C80A2	3C3C276C	3C3B5E2A	3C399A58	3C3AE65A

3C3B7D9E	3C3A920C	3C39871D	3C3A038B	3C35D369	3C3823F6	3C38483D	3C388871	3C383D17	3C37ED89
3C372747	3C365D3C	3C363A67	3C36B28D	3C3753A6	3C360782	3C363A54	3C370391	3C372739	3C366688
3C35E9B0	3C3577D5	3C347254	3C34383E	3C332978	3C342952	3C3352088	3C338032	3C31E9AC	3C318A4D
3C3296A6	3C33601C	3C328932	3C334A0B	3C328242	3C3261B7	3C333353	3C3311C0	3C329554	3C3115EF
3C301AB8	3C2F793C	3C2F4AF0	3C230CC8	3C330FD9	3C3206FF	3C23FC5D	3C2F3B11	3C2F9A86	3C2FC36C
3C3008B8	3C303B93	3C2FAAF0	3C2F5568	3C2EFD25	3C2E6E99	3C2E3962	3C2D50D3	3C2D6539	3C2C0184
3C2BF534	3C2C0AA1	3C2C5E2C	3C2C5E57	3C2D7553	3C2DB8CE	3C2AD917	3C2B8AF8	3C2D8BF0	3C2B2360
3C2A8517	3C2A06EC	3C2A6717	3C2B0AEB	3C2AA185	3C25753E	3C2926EE	3C2955A9	3C293A80	3C298982
3C28478F	3C28714E	3C284265	3C27D082	3C280D46	3C296680	3C2A7100	3C29550C	3C2858D6	3C28515C
3C292268	3C28880B	3C227E810	3C229358	3C28C318	3C28A4F3	3C28213D	3C287515	3C286F92	3C2903CA
3C28E417	3C272F6C	3C26D8B5	3C27E3AB	3C275F1D	3C271613	3C278374	3C27546D	3C27131E	3C26C2F0
3C267206	3C25FA97	3C2531FC	3C258113	3C2681E2	3C26F7CA	3C266E12	3C24EBEF	3C250834	3C25E295
3C257F53	3C2523D3	3C253236	3C25304C	3C24EAF0	3C24804F	3C252F11	3C235CC2C	3C25F903	3C25CB1D
3C24CA3F	3C243C7F	3C242464	3C242464	3C24494C	3C244585	3C24C037	3C24798A	3C241FF5	3C2456AB
3C243EE8	3C237336	3C22A65D	3C2207C7	3C232954	3C2330FE	3C231971	3C229FD7	3C22AF33	3C22F635
3C231AE0	3C22C091	3C227DD1	3C221E0C	3C221E3F	3C21F2A5	3C2196E4	3C21D8EA	3C2335D5	3C21A2E3
3C211F7F	3C208FD9	3C206FE8	3C210A3B	3C221AD1	3C21DCE5	3C21C557	3C215654	3C20AAC2	3C200738
3C207F5B	3C203F5B	3C1F7041	3C1F8319	3C20DF40	3C20F886	3C1F07B2	3C1F9234	3C1F8A6E	3C1F8F57
3C1F3F8B	3C1F34B6	3C1F0B33	3C1F7DF7	3C1FF123	3C1F09AD	3C1FA113	3C1F9CF6	3C1F86CE	3C1F0031
3C1F80C8	3C1EC877	3C1E88B4	3C1E9A75	3C1E8074	3C1E14A1	3C1E1974	3C1E1974	3C1E076D5	3C1DC6B8
3C1E7501	3C1E5676	3C1E418F	3C1E379D	3C1E08FC	3C1D1A77	3C1C19FE	3C1CA3AC	3C1D005BA	3C1C4162
3C1C8182	3C1C6829	3C1C8FED	3C1C898D	3C1CFA47	3C1CD338	3C1C195E	3C1CAF98	3C1C3DEF	3C1CEAFF
3C1D3F6B	3C1BDOE8	3C1B4568	3C1B9E5C	3C1AA764	3C19E845	3C1AD59E	3C1BD407	3C1AC9F3	3C1AEF04
3C1AFB11	3C1B17FF	3C1B3426	3C1E15A4	3C1A864E	3C1A96FC	3C19G2E4	3C198328	3C1A5277	3C1A306E
3C19C0E0	3C19A6B3	3C19E080	3C193AC2	3C18C919	3C17E637	3C176739	3C19086D	3C1A906AB	3C18A224
3C188484	3C196829	3C1A20G5	3C19EE1C	3C1988C1	3C1928AF	3C1E884D	3C1E8831	3C17F694	3C181095
3C17B2F7	3C16C28C	3C16BA34	3C1742D3	3C17F5F4	3C1893F6	3C180BFA	3C174146	3C1791C8	3C186921
3C18304A	3C178279	3C1717F1	3C16D1EA	3C169D0A1	3C16CCCF	3C16A29C	3C168815	3C168BC4D	3C165CED
3C163443	3C16D0D6	3C177051	3C16AF49	3C168205	3C169818	3C15AE7C	3C1582C0	3C1527D8	3C15ACB8
3C15FE8D	3C161EFB	3C15E891	3C147E79	3C14667F	3C13EB18	3C139762	3C147963	3C1425F8	3C12C4AD
3C14267F	3C1467F0	3C143115	3C139A25	3C133F3E	3C134299	3C13C808	3C147567	3C148657	3C148657
3C139ABA	3C12E87C	3C12F7							

38237C9D 382FC051 382F5616 382FE45F 38307C18 3832DEA9 38343DAB 38371A59 38328F08
38237E8D 3829E4F4 38309E68 3838578F 382A478A 38133E76 382083F5 38359E42 3830C8A0 382E4617
3839C41D 3833A088 38207AA4 3824EDCE 3825D1C3 382980C0 381996E2 381048F1 38205F53 38389271
383C3272 382C6699 381C08D4 382216A2 382336A92 38294167 38348A85 3836876F 382E8204 382AA086
3827DF77 3828553E 38285940 381EA68D 38185AA0 381A1D71 381ED1A6 38301C0F 38337868 3824768B
3826FEF7 382F380A 38269E65 38223E98 3825519A 3825F09D 381C5280 3818387C 3818168E 3826A81E
3827495D 381C806A 381FEC95 3827DF56 382F4AD1 38102580 3818EAEF 381E49D8 381A353C 381178F5
38264FD8 384190E8 38310F78 38156618 3836281F 38389803 38254718 382AE52A 382810F5 38168885
38218805 382C2EBF 38229DC5 381DC764 3825170B 381EED41 3811A620 3810330C 3817EE61 38105752
3826847E 38285D88 381F2A0E 38110802 384A5A78 38AD4708 381D0315 381F98F4 381AC54D 3A5110A6
3ACD8796 3A183281 3AC09729 3809539 3809539 3809539 3809539 3809539 3809539 3809539 3809539
3AD72E2D 3821391F 3822E7D7 38159638 381029C5 381258A3 381A659E 3824FF83 3822AEE4 381E2781 3817FAC9
3AC947A9 3AEFF517 38181854 38230805 38280AFC 3818CC22 3A5EE456 381A0F2C 382720E7 382A0C6F 381FD810
381D8E57 382352F6 38230805 38112F28 38112F28 38112F28 38112F28 38112F28 38112F28 38112F28 38112F28
38175DF1 38189E3A 3819E386 3819E386 3819E386 3819E386 3819E386 3819E386 3819E386 3819E386
3A789178 38146747 381F5561 38236D1D 3818E210 3818E210 3818E210 3818E210 3818E210 3818E210
3A9AF2B6 3AF659C0 381AC17A 382C0319 381C4234 381C4234 381C4234 381C4234 381C4234 381C4234
3A85876C 3818897F 382D17D0 3830E3A8 381CE648 3820882F 3821C708 38143A5D 3A8F3A19 3A17438E
3A2179DC 3A32542A 3AD1CC94 38181776 38080445 3A62A85D 3A580B00 3A24A561 381149FC 381AE4CC
38232741 38322FF18 381AA9E4 3822F609 3A945428 3A21773D 3A587211 381A9141 38186261 3818ED2C
3A879873 3A62D5EF 39E008F3 3A471A78 3A75FED4 3AEE8285 3A4C083E 3816130F 38187594 38155FE7
3A2AD76F 3AEB4A71 3816F87D 381739A6 381848CC 38181F7D 3814E6D4 38180F8C 3821C571 3824F28A
381379C7 3A8C0C58 3A944C35 3AA5679C 381C81A7 381C81A7 381C81A7 381C81A7 381C81A7 381C81A7
3A763244 381068CC 3817F29F 3A8ABC5D 35E149E7 3A6F9E66 3AE08C30 3814095D 381A60FD 38195F4D
38178581 3AF2A78F 381389D1 3A8AF9AF 3A8680FA 3AC03C67 3AD67429 38105AF3 3A7C6D7C 3A8464CC
3814C904 38195ED2 38217EC2 381EC8A9 381A289C 38142D6F 3815077D 381369A7 3AF65F43 381620ED
381BD301 381DF4C2 3A2E5159 3A459F6D 3A8F4026 3AEB0563 3815077D 381369A7 3AF65F43 381620ED
3ACF87E6 3A44528E 3A782315 3A8CFE1 3A35C37C 381980A6 381FC624 3AA3A7FE 3A5886E7 3AC48A24
38130D43 3ADC9C8 3811F271 381769E0 3AD15980 3A9339D6 3A380A78 3A2101E8 3A82987F 3817AFC7
3827CDDC 3B23ED11 381262FA 3A440816 3AD89C9C 3AFD57F5 3813FD80 3813C029 3A929F8D 38199263
382059AA 3AF98D13 3A8AD579 3A4F68E2 3A51AA37 3A40B541 3AFDFC94 38191264 3811085A 3AC2574C
381D25D0 38126082 3A42D6C2 3AA7E9AF 38114F3C 3A78A0A8 3A781DF8 3A8CC32E 3A6F6D66 3A197311
3A583F38 3A6A70ED 3A482640 38240761 3A8D7A7A 39C1B74F 3A2B349C 3924E901 3A352889 3810CDC3
381357D0 3AC4721E 3A934D16 381332E7 381DF84F 3ACA9D02 3A919C62 38113C38 3A3AB2A9 3AA2C605
3A6F5975 3A3023A4 38141235 38127245 3A282F8F 3AD2106D 381B4F28 381A566C 38145E07 381252CD
3A1D782A 3A4EB172 3A821141 3A687C38 3A838ED4 3AA582CE 3AFE3C99 3A1432C3 88735268 3A8821D9
38154BAC 38127763 3815D04F 3A759799 3A703FC6 3A3E20F0 381A723E 3818CD27 3A1DF2ED 3811C761
3A4C4F48 3A292618