



#360

IMP-I

SUMMARY SPECTRA DATA

71-019A-15C



Table of Contents

1. Introduction
2. Errata/Change Log
3. LINKS TO RELEVANT INFORMATION IN THE ONLINE NSSDC
INFORMATION SYSTEM
4. Catalog Materials
 - a. Associated Documents
 - b. Core Catalog Materials

1. INTRODUCTION:

The documentation for this data set was originally on paper, kept in NSSDC's Data Set Catalogs (DSCs). The paper documentation in the Data Set Catalogs have been made into digital images, and then collected into a single PDF file for each Data Set Catalog. The inventory information in these DSCs is current as of July 1, 2004. This inventory information is now no longer maintained in the DSCs, but is now managed in the inventory part of the NSSDC information system. The information existing in the DSCs is now not needed for locating the data files, but we did not remove that inventory information.

The offline tape datasets have now been migrated from the original magnetic tape to Archival Information Packages (AIP's).

A prior restoration may have been done on data sets, if a requestor of this data set has questions; they should send an inquiry to the request office to see if additional information exists.

2. ERRATA/CHANGE LOG:

NOTE: Changes are made in a text box, and will show up that way when displayed on screen with a PDF reader.

When printing, special settings may be required to make the text box appear on the printed output.

Version	Date	Person	Page	Description of Change
01				
02				

3 LINKS TO RELEVANT INFORMATION IN THE ONLINE NSSDC
INFORMATION SYSTEM:

<http://nssdc.gsfc.nasa.gov/nmc/>

[NOTE: This link will take you to the main page of the NSSDC Master Catalog. There you will be able to perform searches to find additional information]

4. CATALOG MATERIALS:

- a. Associated Documents To find associated documents you will need to know the document ID number and then click here.
<http://nssdcftp.gsfc.nasa.gov/miscellaneous/documents/>

- b. Core Catalog Materials

IMF-I

SUMMARY SPECTRA ON MAG TAPE

71-019A-15C

ASRA-00009

This data set has been restored. There was originally
1 Binary 9-Track, 1600 BPI tape. There is one restored tape.
The DR tape is a 3480 cartridge and the DS tape is 9-track, 6250 BPI.
The tape was created on an IBM 360 computer. The DR and DS number
along with the corresponding D number and the time span is as follows:

DR#	DS#	D#	FILES	TIME SPAN
DR03006	DS03006	D27597	3	04/20/71 - 09/26/72

REQ. AGENT

CMP

RAND NO.

RC6828

ACQ. AGENT

CDW

IMP-I

SUMMARY SPECTRA DATA

71-019A-15C

This data set catalog consists of 1 magnetic tape.
The tape is binary, 9-track, 1600 BPI with a standard
label and contains one file of data. This tape was created
on an IBM 360 computer.

<u>D#</u>	<u>C#</u>	<u>LABEL</u>	<u>TIME SPAN</u>
D-27597	C-18427	Y1101	04/20/71 - 09/26/72

This document describes the basic data set compiled from the Goddard Space Flight Center radio astronomy experiment on IMP-6 (Explorer 43). The IMP-6 spacecraft was launched into a highly elliptical orbit (eccentricity of 0.94, 206000-km apogee, 354-km perigee, 4.18-day period) on March 13, 1971. The IMP-6 spacecraft was spin-stabilized with the spin axis oriented toward the South ecliptic pole and a spin rate ~ 5.5 RPM. The Goddard radio astronomy experiment operated from 13 March 1971, to 26 September 1972. The antenna used by the Goddard experiment was fully deployed on April 20, 1971, and the basic data set covers all measurements from that date until the end of the experiment lifetime (orbits 10 through 136). During this period radio measurements of the cosmic noise background and of a variety of transient sources in the solar system were obtained at frequencies between 30 kHz and 10 MHz. A description of the experiment has been published by Brown (1973), and a complete bibliography of all papers published on the results of the Goddard radio astronomy experiment is attached to this document.

The Goddard radio astronomy experiment (Fig. 1) used a 91-m dipole antenna which was comprised of two colinear, 46-m, X-axis (i.e. perpendicular to the spin axis) monopoles connected to individual wide-band high-impedance preamplifiers. The preamplifier outputs were combined in an electronic balun/power-splitter and then fed to two step-frequency, total-power radiometers. Each receiver sampled 32 discrete frequency channels once every 5.11 sec. Receiver 1 (SFR-1) operated between 30 kHz and 9.9 MHz with a crystal-controlled IF

p. 2

bandwidth of 10 kHz and a post-detection integration time constant of 6 ms. Receiver 2 (SFR-2) operated between 30 kHz and 4.9 MHz with a crystal-controlled IF bandwidth of 3 kHz and post-detection integration time of 40 ms. The individual receiver channel frequencies are listed in Table 1. Each receiver had a total dynamic range of 60-dB which was divided into two 30-dB ranges in order to provide good ($\pm 3\%$) amplitude resolution.

In-flight calibration was automatically performed by injecting a sequence of four noise levels (two in each receiver range) from a calibration noise source in place of the antenna signal every 2.9 hr. The long-term drift in receiver gain determined from these data was approximately - 0.5 dB during the first six months of the flight and - 1.5 dB after 16 months of operation.

The most serious instrument performance problem encountered was due to saturation level signals at the pre-amplifier input which resulted in the generation of intermodulation products in the RF amplifiers which then appeared as wide-band signals in the telemetered data. This problem was most acute when intense kilometer wavelength emissions from the terrestrial magnetosphere were observed at frequencies in the 200-300 kHz range. An example of an event with significant intermodulation interference artifacts is shown in Figure 2.

Daily dynamic spectral plots were generated using the first 28 frequency channels of SFR-2 in the following fashion. For every 10-minute interval of data, signal intensity distributions, $N(I)$, were calculated at each frequency by sorting the data in 1-dB bins. Then the values of the mean, minimum, and maximum signal levels as well

as the mode (most common value) of the distribution were determined for each 10-min interval at each frequency. These data were used to generate four 24-hr dynamic spectral displays which showed the variation of the average, minimum, maximum and mode of the received noise as a function of frequency and time with 10-min resolution. The intensity scale was plotted in increments of 1 dB with respect to the average background level at each frequency determined from studies of the long-term baseline level. The display format is illustrated and explained in Figures 2 and 3.

The dynamic spectral plots discussed above were generated from data contained on the IMP-6 Ten Minute Summary Tape. The contents and format of that tape are described in the appendix. In addition to the average, minimum, maximum and mode, the Ten Minute Summary Tape contains the average direction of arrival of emission at each frequency. The arrival direction was determined from the modulation pattern impressed on the data by the 5.5 RPM spin of the dipole antenna. The computation of the arrival direction was simply a Fourier fit to the data of a function proportional to $1 + \alpha \cos 2(\omega t - \phi)$ where the spin period, $1/\omega$, was precisely known, and the phase angle ϕ and level of modulation α were unknown. The Fourier fit was usually done with 12 consecutive 5.11-sec samples. The derived phase angle was then converted into a solar elongation angle, ϕ , in the ecliptic plane with minus to the East and plus to the West. (Since the dipole pattern is symmetrical, the deduced arrival directions have a 180 degree ambiguity.) The 12-sample processing window was then slid forward one sample and a new Fourier fit was done. The arrival

directions characterizing each ten-minute interval are averages of the individual Fourier fits during the interval. Accompanying each arrival direction on the tape is the modulation index which is defined as

$$\alpha = \frac{S_{\max} - S_{\min}}{S_{\max} + S_{\min}}$$

where $S_{\max}$ and $S_{\min}$ are the maximum and minimum power flux predicted by the best-fit $\cos^2\theta$ modulation pattern during the processing window. Nominally α ranges from 0 to 1, but due to effects such as the use of a limited number of samples and the over-simplified assumption of constant source flux during the sample window, it often ranges from 0 to 1.5 in actual practice. The modulation index is a measure of either the size of the emitting source or its ecliptic latitude. Figure 4 shows how these quantities are related for a source of uniform surface brightness. An exhaustive discussion of the spin modulation analysis technique has been given by Feinberg (1976).

During each ten-minute interval, the modulation index is calculated for each arrival direction. The modulation index is defined as

$$\alpha = \frac{S_{\max} - S_{\min}}{S_{\max} + S_{\min}}$$

where $S_{\max}$ and $S_{\min}$ are the maximum and minimum power flux predicted by the best-fit $\cos^2\theta$ modulation pattern during the processing window. Nominally α ranges from 0 to 1, but due to effects such as the use of a limited number of samples and the over-simplified assumption of constant source flux during the sample window, it often ranges from 0 to 1.5 in actual practice. The modulation index is a measure of either the size of the emitting source or its ecliptic latitude. Figure 4 shows how these quantities are related for a source of uniform surface brightness. An exhaustive discussion of the spin modulation analysis technique has been given by Feinberg (1976).

TABLE 1. IMP-6 GODDARD RECEIVER FREQUENCIES

CHANNEL	SFR 1	SFR 2	CHANNEL	SFR 1	SFR 2
1	30 kHz	30 kHz	17	600 kHz	600 kHz
2	44	44	18	737	737
3	55	55	19	870	815
4	67	67	20	1030	950
5	83	83	21	1270	1030
6	92	92	22	1450	1100
7	110	110	23	1850	1270
8	130	130	24	2200	1450
9	155	155	25	2600	1630
10	185	185	26	3250	1850
11	210	210	27	3930	2200
12	250	250	28	4900	2600
13	292	292	29	5700	3000
14	375	375	30	6870	3600
15	425	425	31	8300	4200
16	475	475	32	9900	4900

MONOPOLE

RECEIVER 1

$f_{MAX} = 10 \text{ MHz}$

$\beta = 10 \text{ KHz}$

$\tau = 6 \text{ ms}$

PRE-AMP

RF AMP

LOW PASS
FILTER

MIX

XTAL
FILTER

IF AMP

DET

T/M

CAL
NOISE
SOURCE

BALUN
&
PWR DIV

XTAL L.O.

XTAL L.O.

21.4 MHz

PRE-AMP

RF AMP

LOW PASS
FILTER

MIX

XTAL
FILTER

IF AMP

DET

T/M

$f_{MAX} = 5 \text{ MHz}$

$\beta = 3 \text{ KHz}$

$\tau = 40 \text{ ms}$

RECEIVER 2

MONOPOLE

Fig. 1. Block diagram of the IMP-6 receivers

p.6




Fig. 2. Twenty-four hour dynamic spectrum in which increasing darkness indicates increasing intensity. The vertical "stripes" which appear after 7 hr are due to intermodulation effects in the pre-amplifier caused by intense terrestrial noise levels at frequencies near 0.3 MHz (frequency channels 7-15). The event between 04 and 07 hr resembling an arrowhead is the upper-hybrid resonance noise near perigee reported by Mosier et al. (1973).




Fig. 3. Both this figure and Fig. 2 are examples of the dynamic spectral displays generated from the IMP-6 Ten Minute Summary Tape. Increasing darkness indicates increasing signal intensity. Note (1) a type III solar radio burst at about 19-20 hr, (2) weak terrestrial kilometer wavelength emission throughout the day, but particularly at 13-17 hr, and (3) interference from the NASA range and range rate tracking system at 23-24 hr. The range and range rate interference was particularly common during the first month of operation and can be easily recognized by its abrupt onset and sharp low-frequency limit of about 150 kHz.




Fig. 4. The relationship between modulation index, source size and angle out of the spin plane (ecliptic plane) for a source of uniform surface brightness.

Appendix

TAPE FORMAT FOR THE IMP-6 TEN MINUTE SUMMARY TAPE

EACH LOGICAL RECORD CONTAINS A SUMMARY OF TEN MINUTES OF DATA FROM THE SFR-2 RECEIVER (FIRST 28 CHANNELS). THE TEN MINUTE INTERVALS ARE DEFINED TO START AT PRECISELY 0 HR ON EACH DAY. THE LOGICAL RECORD LENGTH IS 416 8-BIT BYTES + A 4-BYTE LOGICAL RECORD CONTROL WORD. THE PHYSICAL RECORDS ARE 32344 BYTES (=420*77+4). THE TAPES ARE 9-TRACK 1600 DPI. THE INDIVIDUAL QUANTITIES IN EACH RECORD ARE:

FORTRAN WORD #	TYPE	LENGTH BYTES	DESCRIPTION
1	I	4	DATE IN YYMMDD FORM (E.G. MAY 15, 1971=710515)
2	I	4	UT IN ELAPSED SECONDS FROM 0HR AT THE START OF TEN MINUTE INTERVAL
3,4,5	R	4	GEOCENTRIC EQUATORIAL X,Y,Z OF SPACECRAFT (KMD
6	R	4	SPIN PERIOD IN SECONDS
7-20	I	2	THE AVERAGE ANTENNA TEMPERATURE FOR THE FIRST 28 FREQUENCIES OF SFR-2 IN THE ORDER OF TABLE 1
21-34	I	2	THE AVERAGES ARE IN THE FORM $100 * \text{ALOG}_{10}(\text{TAVE})$
35-48	I	2	THE STANDARD DEVIATION OF THE AVERAGE ANTENNA TEMPERATURES ALSO IN THE FORM $100 * \text{ALOG}_{10}(\text{TSTD})$
49-62	I	2	AVERAGE SOURCE DIRECTION FOR EACH FREQUENCY AS DETERMINED FROM SPIN MODULATION. STORED IN THE FORM $100 * \text{PHI}$ (IN DEGREES RELATIVE TO SUN WITH - TO EAST AND + TO WEST).
63-69	I	1	STANDARD DEVIATION OF AVERAGE SOURCE DIRECTION ALSO IN THE FORM $100 * \text{PHISTD}$
70-76*	I	1	NUMBER OF SAMPLES AT EACH FREQUENCY IN THIS TEN MINUTE INTERVAL
77-83*	I	1	2% MINIMUM ANTENNA TEMPERATURE IN DB ABOVE 1°K
84-90*	I	1	2% MAXIMUM ANTENNA TEMPERATURE IN DB ABOVE 1°K
91-97	I	1	MODE (MOST COMMONLY OCCURRING) ANTENNA TEMPERATURE IN DB ABOVE 1°K
98-104	I	1	MODULATION INDEX FOR EACH FREQUENCY AS DEDUCED FROM SPIN MODULATION
			STANDARD DEVIATION OF MODULATION INDEX

* THE 2% VALUES AND THE MODE WERE DETERMINED BY FORMING HISTOGRAMS (FOR EACH FREQUENCY) IN 1 DB INCREMENTS FROM THE INDIVIDUAL SAMPLES TAKEN DURING THE 10 MINUTE INTERVAL. THE HISTOGRAMS WERE THEN SCANNED TO FIND THE LOWEST BIN CONTAINING AT LEAST 2% OF THE TOTAL NUMBER OF SAMPLES, THE HIGHEST BIN CONTAINING 2% OF THE TOTAL, AND THE BIN CONTAINING THE MOST SAMPLES (MODE). IN SOME CASES, NO BIN CONTAINED AT LEAST 2% OF THE VALUES, SO A ZERO WAS WRITTEN ON TAPE.

THIS TAPE CAN BE READ AS FOLLOWS (IN IBM FORTRAN IV)

```

INTEGER*4 A(104)
LOGICAL*1 NUM(28), MIN(28), MAX(28), MODE(28), ALPHA(28), ASTD(28)
INTEGER*2 TAVE(28), TSTD(28), PHI(28), PHISTD(28)
EQUIVALENCE (A(1), IYMD), (A(2), ISEC), (A(3), X), (A(4), Y),
1 (A(5), Z), (A(6), SPIN), (A(7), TAVE(1)), (A(21), TSTD(1)),
2 ((A(35), PHI(1)), (A(49), PHISTD(1)), (A(63), NUM(1))),
3 (A(70), MIN(1)), (A(77), MAX(1)), (A(84), MODE(1)),
4 (A(91), ALPHA(1)), (A(98), ASTD(1))

```

READ(IUNIT, END=XXXX) A

p. 11

IMP-6 GODDARD RADIO ASTRONOMY EXPERIMENT BIBLIOGRAPHY

1972 .

Fainberg, J., L.G. Evans, and R.G. Stone, "Radio Tracking of Solar Energetic Particles through Interplanetary Space", *Science*, 178, 743-745, 1972.

1973

Brown, L.W., "The Galactic Radio Spectrum between 130 and 2600 KHz", *The Astrophysical Journal*, 180, 359-370, 1973.

Evans, L.G., J. Fainberg, and R.G. Stone, "Characteristics of Type III Exciters Derived from Low Frequency Radio Observations", *Solar Physics*, 31, 501-511, 1973.

Lin, R.P., L.G. Evans and J. Fainberg, "Simultaneous Observations of Fast Solar Electrons and Type III Radio Burst Emission Near 1 AU", *Astrophysical Letters*, 14, 191, 1973.

Malitson, H.H., J. Fainberg, and R.G. Stone, "Observations of a Type II Solar Radio Burst to 37 R", *Astrophysical Letters*, 14, 111-114, 1973.

Malitson, H.H., J. Fainberg and R.G. Stone, "A Density Scale for the Interplanetary Medium from Observations of a Type II Solar Radio Burst out to 1 Astronomical Unit", *The Astrophysical Journal*, 183, L35-38, 1973.

Mosier, S.R., M.L. Kaiser, and L.W. Brown, "Observations of Noise Bands Associated with the Upper Hybrid Resonance by the IMP-6 Radio Astronomy Experiment", *Journal of Geophysical Research*, 78, 1673-1679, 1973.

p. 12

Stone, R.G., "Radio Physics of the Outer Solar System", Space Sciences Reviews, 14, 534-551, 1973.

1974

Brown, L.W., "Jupiter Emission Observed near 1 MHz", The Astrophysical Journal, 192, 547-550, 1974.

Brown, L.W., "Spectral Behavior of Jupiter near 1 MHz", Astrophysical Journal (Letters), 194, L159-L162, 1974.

Fainberg, J. and R.G. Stone, "Satellite Observations of Type III Solar Radio Bursts at Low Frequencies", Space Science Reviews, 16, 145-188, 1974.

1975

Brown, L.W., "Saturn Radio Emission near 1 MHz", The Astrophysical Journal, 198, L89-92, 1975.

Kaiser, M.L. and R.G. Stone, "Earth as an Intense Planetary Radio Source: Similarities to Jupiter and Saturn", Science, 189, 285-287, 1975.

Kaiser, M.L., "The Solar Elongation Distribution of Low Frequency Radio Bursts", Solar Physics, 45, 181-187, 1975.

1976

Brown, L.W., "Possible Radio Emission from Uranus at 0.5 MHz", Astrophysical Journal, 207, L209-L212, 1976.

Fainberg, J., "A Precise Method of Determination of Source Direction and Width from Spin-Modulated Spacecraft Measurements", GSFC Rept. X-693-76-91, 1976.

Fitzenreiter, R. J., L. G. Evans, and R.P. Lin, "Quantitative Comparisons
of Type III Radio Burst Intensity and Fast Electron Flux at 1 AU",
Solar Physics (in press; also GSFC Rept. X-693-75-236), 1976.

Fitzenreiter, R.J., J. Fainberg, and R.B. Bundy, "Directivity of Low
Frequency Solar Type III Radio Bursts", Solar Physics (in press;
also GSFC Rept. X-693-75-284), 1976.

RECORD 1 OF FILE 2
 LENGTH = 32344 BYTES

DATE

IMP. I

7E580000	01A40000	000AD714	00002328	C3F78A8F	C42E88E3	43B984D1	41B205AE	04930436	05600548
03FF038E	039F0383	03520338	032602F0	037F03F7	02F802D2	02F902DE	02DF02DF	02DF02DC	02D702D1
02CA02C4	02B502AF	048F044A	058B0587	043003A3	03A803C8	0363035F	034F0306	03B30441	031E02FD
033C02FF	02F802F9	030102FC	030102FB	02F402FE	030202FC	0883116F	0DEE1427	131C139D	0EBE0864
029A18F2	0AAD1044	1C3E07CA	1A9C148B	14000A78	0A2109D2	090B073B	02490338	04B4021A	E6C5F841
12080EB3	0D220E42	06900540	0D9304E2	0740067C	064D0681	0EBA1198	0A010563	090B02C6	05DF0727
018E0961	02D80608	0868063A	0E551014	78785856	78787878	78787878	78787878	78787878	78787878
78787878	68656855	4F4F564C	4C4A4742	42454545	47484848	48474746	46454443	7D719594	72636462
5D585A50	656D544C	4D4A4A48	4B4B4A49	48484645	6F6A825D	5751594E	4D4C4B46	45464747	48494949
49494847	47464544	19438251	423B1033	2E1F402B	394A3A16	3D0F1215	0F170D0D	140D0908	12231D1D
1D1F1110	1C16210E	153D1311	31071414	03130504	11030A08	01A40000	000AD714	00002580	C35D82C5
C43A26B8	44143A4E	41B22251	04E203E4	03D803D9	039F03A5	03850389	040103F4	03680374	03800310
0304032D	02F102EA	02EF03AA	02E902E0	02D802F4	02C502BA	02F002A4	051E03CB	03EF0404	03870388
03890393	04480428	038A0388	03A20329	030E035E	02F802F4	02F403F1	02F302F3	02F20317	02EF02EE
031302F0	060F051C	05C10418	075A063B	076905D8	01100E27	064904D9	05A50565	062E0462	017601EF
047002BA	037F033D	047C02EB	03330586	038EFF8C	070C06CD	06E107A4	08790D45	0A500AA5	07481059
0C6604D0	04EA0484	03A00428	01EF0235	03D00643	027605A2	026202CE	052704DA	0A3805FD	1C1C1C1B
1C1C181C	1C1C1C1B	1B1C181C	1C1C1C1C	1A1C181C	1C1C1C1B	5F5C5B4F	5150544E	404F483C	3A3C4747
3448453C	3A3A4342	2E40382D	8A676C6E	66646160	7470615F	6256545D	4F4C4E6C	4E4C4A54	49475446
6C655E58	58575750	52564D3C	47484A49	4A4A4A4A	4A494847	47474544	18261921	302C2D2B	3B2E2F29
29232E21	2A292924	1F232017	12000808	0906071A	1C1D2D18	1D2B2509	0C0E0E10	0D081408	0E1B120A
0A040604	01A40000	000AD714	00002708	4366057E	C444FC3C	441D9850	41B22251	03E603D9	03AB03AE
048104B2	040203DA	03ED03C4	033402F3	02EC02F2	03010304	03130308	030302FA	02F502EF	02EA02DA
02D202C8	028D02B1	038503C4	038103B5	04A504D7	04520423	042B0407	03680304	02FF0305	0309030C
030E0307	03050300	02FF0302	030102FC	02F702FC	030202F8	03D803B1	03EF0335	F9E40290	03EC0523
05E404D5	056604EB	052F035A	030B01DF	02E1023B	05C4042B	055E0805	069F02D2	09AE031E	0C8D0D40
08810C92	0874161D	139308D0	024704E7	02E40157	04320165	00E800E3	017D01B9	0173011D	044B0410
020F02F4	017404AD	030402D8	0DB70A40	78787878	78787878	78787878	78787878	78787878	78787878
78787878	61585A54	53525551	4E4B4A46	45484849	4A494949	49484847	46464543	66676064	7C81706F
6E6C584F	50505253	5352514F	504F504C	4A484746	63625D57	54545853	51504E4B	47494A48	4C4B4B4B
4A494948	47474544	22142010	2D2C0F22	291C2A34	443C3635	31231E1B	1717100E	12090905	0804050B
13080307	08060705	06020308	09040608	05040103	05020601	01A40000	000AD714	00002A30	43FC025E
C44C5CDC	4424B538	41B22251	040303DE	03D90475	04C903C6	0374035F	03460324	03280311	031F0309
030F0314	030A02F9	02F602EF	02EA02E6	02DE02D6	02CD02C7	02BD02B0	03E103C7	03BC0499	04DB03B3
03320349	03310316	03200315	031802F9	02F70301	02FA02EE	02ED02ED	02EC02F0	02E802E8	02E802EA
02EF02EA	FECCFDD	08B701D4	02AA0718	056D05D0	052304FC	04BC045A	0487031C	03E4036C	04AF0697
07F4068F	0740874A	0659059A	08490934	099A0697	0FB51147	0DDA0A69	045501CE	01C70208	019008C6
00ED00CD	01800184	01C201D8	020D020C	037F0416	02990445	02160270	078003E1	0D1C0C51	3C3C3C3C
3C3C3C3C	3C3C3C3C	3C3C3C3C	3C3C3C3C	3C3C3C3C	3C3C3C3C	635E5E62	605B5651	4F4C4A48	4849494A
4A494949	49484847	46454543	6A676678	81655A5A	57545554	55505052	524E4E4D	4C4C4A49	49484745
65616362	61605655	524E5049	4D4B504D	4B4A4A4A	49494948	47474544	182C191C	08121E36	3738383C
33272420	1D1A1817	14130F10	10080804	10261219	0304040E	06040505	09060605	04040B0C	03070404
0F030402	01A40000	000AD714	00002C88	441C2FDF	C45461F2	442D3286	41B22251	047F04AA	04710435
03D503E9	03A503DE	03C60375	035F0347	032B02FC	02F802FB	02F502F2	02F202EB	02E702E4	02DC02D4
02CF02C5	02B802B0	048B04DB	048A044A	038B03D3	038A03D8	03CE035B	033C0329	03120301	02FD02FC
03010300	030102FE	02FE02F1	02FE02FF	02FE02FB	030102FC	DEE505DD	04CD01DC	07E50855	05410451
052B04D7	05A40584	06EC0612	03A504FF	0650066C	062E063D	06B505DA	07330887	08350ADD	086702B7
0530107E	0A250D30	0788072A	06C00694	06E80686	06A70681	075107F8	06DA0720	06B906D4	06D90746
06B606E8	06B8080F	088C0877	0AD507F7	78787878	78787878	78787878	78787878	78787878	78787878
78787878	6261615C	605F5959	5552514E	4C494949	49494949	48484747	46454443	7E827A74	636860E8
67585856	544F4F4E	4D4D4E4E	4B4C4A49	4E484745	6363625D	61615864	5A585755	514E4A4D	4A4A4B4A
4A494948	47464544	3D100E05	1119222F	35303130	232B2822	101C1C18	1519120B	0A090A04	1C140903
03050309	06060E07	080A080D	080C0A08	04070504	04040502	01A40000	000AD714	00002EE0	44256D26
C459A5EE	4433A037	41B22251	04D8042B	03D003B1	03F0042F	03EA042E	03DF0378	03600349	032D030E
02FF02FD	02F402F4	02F202EB	02E702E5	02DF02D3	02CC02C5	02B802AF	050703EA	03A0036A	03B90409
038E0409	03C60353	03A2032A	03070306	02FE0302	03010302	02EC02ED	030002E6	02EE02EA	02F902EE

April 20, 1971

Sept 20, 1972

D-27597-C-

079103AE	029F0262	063C0334	0E C80C44	78787878	78787878	78787878	78787878	78787878
78787878	6B6E625F	656B6468	5B565351	4D4A4949	49494949	48484746	46454443	6F756A63
615D5A58	55565453	4E4F4E4D	4C4C4B4A	48474645	6C706661	666C666B	605A5757	514F4B48
4A494848	47464544	1F2F3020	0E0F1C28	29212822	24343327	251F231A	1615110F	0C080806
04050810	070A0F0F	101F2010	08080F07	05080505	05030502	01A40000	000AD714	00003390
C4627742	443E5CF8	41B22251	04600464	041503F4	0413043A	0409040E	03A0036C	03580359
03420316	02F902F5	02F502E8	02C402E3	02D802D3	02CA02C4	02BA02B0	04990458	043C0428
03D703F1	037D034A	03540362	03580392	036A0314	02FE0300	02FF02FD	030002FC	02FF02FD
02FE02F8	0E5305FE	05920F72	15021518	06EE0849	117E17C2	14671701	16FA139C	162D11F9
05C8075E	06920806	06F806CE	0AC10786	05F91098	03AD0488	02820E70	0D050EAD	1057045F
0894093B	0C340596	0D871128	02BC013B	04010378	01CA039C	026D021B	06980470	07A50B62
78787878	78787878	78787878	78787878	78787878	78787878	686C6162	66696463	5954504E
49494948	48484747	46454443	70746C64	696D696A	605A585C	585F5D54	4F4F4F4C	4C4C4A49
6E706663	6E6C6665	58565451	50514C4E	4C4A4A4A	4A494848	47464545	12282609	12111B17
4128442D	2628231B	1B171110	0D080B05	07090605	0D071306	0A090E12	2214231D	0D0A0809
05030403	01A40000	000AD714	000035E8	443FAC4E	C46636BC	4443823A	41B22251	0450046F
04250434	040303E1	039A0393	039C039F	0397035C	035E035A	02FF02FD	02F602EC	02EA02E3
02C802C4	02BA02B1	04210453	03F803AF	0440042A	03FC03BC	03780393	0390038B	039D035F
03040301	030102F9	02FE02FF	02FC02FB	02FB02FE	02FE02F8	03FF0483	0C0009EB	0E290DE0
13C510F1	13C614D0	188C1082	0D430F5E	05AD0724	06F507A2	073305F9	077D0664	072B083F
08F6071C	0A7A0F6E	08480888	0A7709D5	0577075F	07F20803	0887112B	0CF10C91	090D04E0
04C60610	0238035C	05D00302	055408F3	78787878	78787878	78787878	78787878	78787878
78787878	6C6D6162	6668615F	58565555	544B4A49	49494948	48474747	46454443	71746866
60606061	615B5E59	4F4F4F4C	4C4B4B49	48474646	6D706664	67696363	585A5A5D	585C4D4D
49494848	47464545	0E2E2311	0D132126	2F2D333C	353D3F3A	2428291D	1D1A1411	0E0C0E07
050D100E	0F0D0F17	171B1A18	0C182508	08080404	07040504	01A40000	000AD714	00003840
C4699D04	444E6CA4	41B22668	044D0488	042F0456	044C044B	041403E3	03AE03A8	03A903A7
03500325	030102F9	02FA02ED	02E802E4	02DC02D3	02CC02C5	02BA02B1	041C046C	045604A4
043903F6	03CF03C3	03A303A8	03AA039C	037D0349	03290323	03310323	03240323	03230323
03230323	08F102E8	0DB6DDB9	0F051F96	DEEC2199	189D1770	193D1F2A	18DC18D1	13C60B91
08BA08CE	07870A88	09E80902	06D30746	FAA006F1	09A7092C	06CC0E74	0A0C0AC7	0AE308D3
02D308F0	03E40507	074E0710	038F0261	0417032D	01BE04C9	027402C1	0815048D	11B2098E
E7E7E7E7	E8E8E8E8	E8E8E8E8	E8E8E8E8	E8E8E8E8	E8E8E8E8	686E6363	6667605D	57575754
49494948	48484746	46454443	71777479	7877736A	64626464	64605D58	524F4E4E	4D4C4A49
6D746764	67666260	58585E58	5D4E4B4C	4C4C4B4A	49454848	47464545	0E2E2622	1D302521
4741342B	20191415	1110100C	08080806	080C0C1A	11190F11	0A230C1F	0B111D1A	09070606
05030703	01A40000	000AD714	00003A98	4451218F	C46D1879	444D8FD5	41B22251	045F0492
048C0498	045E0409	03CD03D1	03BE03BF	0396033F	032B02FD	02F902EF	02EF02EA	02E502E1
02C802C3	02E902AF	043C046F	044C048E	04A704BA	046A040E	03BE040D	03BP03F3	03A60349
030102FD	030002FD	02FE02FE	02FE02FF	02FB02FA	02F802FD	160701CC	0E070317	12081332
188819AF	192C1999	15D2113B	0C03048C	06C40725	0842062E	07C307BE	05920797	08B20A18
104807E9	075B0F36	08C10AFC	09280639	03640250	04A30210	05150987	092402EB	028503F5
022F057C	035D0263	06270551	08510A99	78787878	78787878	78787878	78787878	78787878
78787878	6D706862	64645F5D	5A595753	4F4A4949	49484948	48484746	46454443	73787578
67676667	635A5751	504E4E4E	4B4B4A49	48474645	6E736E6E	676D6F64	615F5C5C	5D4C4B48
4A494848	47464544	06193309	080C181D	2F393739	31402724	201D1F1B	14160D0E	0C080C04
07071009	0E150807	0E261A0C	0F0C110F	040B0403	04030502	01A40000	000AD714	00003CF0
C46FEAA6	445240D7	41B22251	04570492	045F03DC	03E303DE	03AC03B2	03B003A6	037C0360
02F02FF7	02F202EE	02EF02E7	02E402E3	02D902D1	02CA02C3	02B902B0	041A046D	04400388
0378039E	039F03C1	038A034D	0349035A	03340300	02FD02FE	02FD02FC	030002FC	02FD02FF
02F902F9	1122F998	0D680890	0CE40A29	12971369	196C1781	1810158A	14580D52	072406A8
05E60887	058C0666	062F0714	06F20631	043703D0	0E180750	074606C3	03A30326	067806E5
01FA0242	02750605	033C030C	0118013F	030D0387	017E047E	02B602E7	065503C7	08A805DA
78787878	78787878	78787878	78787878	78787878	78787878	6D706861	61615B5B	58575351
49494848	48484746	46454443	71787363	65656064	63605C5A	5A59534F	504D4F4C	4B4C4A49
6E757062	63635D5D	5E585655	524E4A4B	484A4A4A	49494848	47464544	0A191807	0A0C131C
2B1C2722	261F1E19	19151211	0F0E0F08	07080E03	02040509	08060507	06090F0E	0A070809
07070805	01A40000	000AD714	00003F48	4460B6A1	C47280A8	445697DA	41B22251	04790486
03D3033C	03A103A9	03A20384	03660350	032902F6	02FC02F5	02F802F3	02F002ED	02E702E6
02CC02C5	02BC02B0	047C046B	041D0386	037E037B	036C038A	039A0361	03470332	030C02FD
02FE02FF	030102FF	02FE02FD	02FD02FD	02FB02FB	02F702F8	E628F7EE	08220AC1	094908C1
0EA60E18	146E164A	14D5059D	04FD048E	056605E0	0687058A	06A3066B	07170463	071E068C
12120195	037707D8	04850349	030B0238	0C46031C	01E70169	01FD0197	0198020F	017A0167
0222039A	029502CF	04060450	06800924	78787878	78787878	78787878	78787878	78787878
78787878	6F6D6660	605F5A59	5555524F	4D484848	4849494E	48474746	46454443	74776F63
615D5A58	534E5050	4F4D4D4E	4C4D4A4A	49484746	72746C61	61615B5C	5D595654	524C4A49
4A494848	47464544	111F1C0A	0E0C0F1A	2D142D31	2A2F2D24	27252121	1517110F	0F0B0E07
03030207	15060605	060A0E08	09081A0E	060A0205	06030703	01A40000	000AD714	0000A1A0

78787878	686D6A6C	4C4A4B4A	28192233	4437289A	03520363	03F903F3	02FE02FE	06380519	0500093B	78787878	48474645	21222F2B	07070304	040903EC	02D802D3	039403AB	0D2B1096	084C088E	076B05A5	78787878	6E706C66	4C4C4B4A	06080D0F	4447F89F	039E0375	047F047B	03240323	08560556	048F0396	E7E7E7E7	50484949	49484646	2B4C484E	03050403	044F047C	02D902D1	03590310	158F16CA	08370654	046F04F6	78787878	7D7E766D	4A49484A	030A0706	445902C8	034A0334	039F03A4	02FE02FB	053D0687	03B5023A	78787878	4D494849	2A27332F	08080406	043703D1	02D802D3	03040302	0C05088A	033E016C	0490034F	78787878	63625F61	4C4B484A	14080905	4A683FC5
----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

