

#460

Earth Sc

SEASAT-A

S-BAND DATA

78-064A-07A

ESGP-00115

Table of Contents

1. Introduction
2. Errata/Change Log
3. LINKS TO RELEVANT INFORMATION IN THE ONLINE NSSDC
INFORMATION SYSTEM
4. Catalog Materials
 - a. Associated Documents
 - b. Core Catalog Materials

1. INTRODUCTION:

The documentation for this data set was originally on paper, kept in NSSDC's Data Set Catalogs (DSCs). The paper documentation in the Data Set Catalogs have been made into digital images, and then collected into a single PDF file for each Data Set Catalog. The inventory information in these DSCs is current as of July 1, 2004. This inventory information is now no longer maintained in the DSCs, but is now managed in the inventory part of the NSSDC information system. The information existing in the DSCs is now not needed for locating the data files, but we did not remove that inventory information.

The offline tape datasets have now been migrated from the original magnetic tape to Archival Information Packages (AIP's).

A prior restoration may have been done on data sets, if a requestor of this data set has questions; they should send an inquiry to the request office to see if additional information exists.

2. ERRATA/CHANGE LOG:

NOTE: Changes are made in a text box, and will show up that way when displayed on screen with a PDF reader.

When printing, special settings may be required to make the text box appear on the printed output.

Version	Date	Person	Page	Description of Change
01				
02				

3 LINKS TO RELEVANT INFORMATION IN THE ONLINE NSSDC
INFORMATION SYSTEM:

<http://nssdc.gsfc.nasa.gov/nmc/>

[NOTE: This link will take you to the main page of the NSSDC Master Catalog. There you will be able to perform searches to find additional information]

4. CATALOG MATERIALS:

- a. Associated Documents To find associated documents you will need to know the document ID number and then click here.
<http://nssdcftp.gsfc.nasa.gov/miscellaneous/documents/>

- b. Core Catalog Materials

SEASAT 1

S-BAND DATA

78-064A-07A ESGP-00115

THIS DATA SET HAS BEEN RESTORED. IT ORIGINALLY CONTAINED FIVE 9-TRACK, 1600 BPI TAPES WRITTEN IN BINARY. THERE IS ONE RESTORED TAPE. THE DR TAPE IS A 3480 CARTRIDGE AND THE DS TAPE IS 9-TRACK, 6250 BPI. THE ORIGINAL TAPES WERE CREATED ON AN IBM 360 COMPUTER AND WERE RESTORED ON THE MRS. THE DR AND DS NUMBERS ALONG WITH THE CORRESPONDING D NUMBERS AND TIME SPANS ARE AS FOLLOWS:

DR#	DS#	D#	FILES	TIME SPAN
DR004298	DS004298	D032698	1	06/27/78 - 06/30/78
		D032699	2	07/01/78 - 07/31/78
		D032700	3	08/01/78 - 08/31/78 (a)
		D023755	4	09/01/78 - 09/30/78
		D032922	5	10/01/78 - 10/10/78

(a) D032700 - 1 ERROR, REC. 10, FILE 1

REQ AGENT
CMP

BAND NO.
RD1263
RD1265

AGC AGENT
RWP

SEASAT-A

S-BAND DATA

78-064A-07A

This data set contains 5 data tapes. They are 9 track, 1600, BINARY, with 1 file per tape. These tapes were created on an IBM 360 computer.

<u>D#</u>	<u>C#</u>	<u>TIME</u>
D-32698	C-20262	6/13/78 - 6/13/78
D-32699	C-20263	7/ 1/78 - 7/21/78
D-32700	C-20264	8/ 1/78 - 8/31/78
D-32701	C-20271	9/01/78 - 9/30/78
D-32722	C-20290	10/1/78 - 10/10/78

GEOS-C BINARY FORMAT

(* Information pertains to Laser Data)

The GEOS-C satellite will be tracked by many different systems and networks of tracking stations. It is intended that this format will accommodate data taken from all tracking systems and networks as well as altimeter data taken by the satellite. As a consequence of its design characteristics, this format not only meets the specifications of the GEOS-C project, but also the precise orbit determination requirements of all currently existing satellites.

The FORTRAN variable types used in this format description are:

I*2 - Half-Word Integer

I - Single Word Integer

R - Single Word Floating Point

DP - Double Word Floating Point

Figure 4.7.14

Description of Bytes 1-28 for all measurement types.

<u>Bytes</u>	<u>FORTAN Variable Type</u>	<u>Description</u>
* 1-4	I	Satellite ID - This is the international satellite designation nnpppqq where: - nn - last two digits of the year of launch (e.g., 1974-74, 1969-69). - ppp - order of launch. Example: The 25th vehicle launch in a given year is designated with ppp = 025. - qq - component identifier (e.g., component a-01, component l-12, etc.)
* 5-6	I*2	Measurement Type 10-14 Right Ascension and Declination 10 = Optical 11 = Laser Optical 15-19 Hour Angle and Declination 15 = DSN S-Band Radar 20-29 Range or Range Difference * 20 = Laser 21 = C-Band Radar 22 = C-Band VLBI Range Difference Radars 23 = DSN S-Band Radar 24 = USB Radar 25 = GRARR S-Band Radar 26 = GRARR ATS-F C-Band Radar 27 = GRARR VHF Radar

Figure 4.7.14

**FORTTRAN
Variable**

<u>Bytes</u>	<u>Type</u>	<u>Description</u>
(5-6 cont'd)		
30-39		Range Rate or Range Rate Difference
30		= Combined DSN/USB Radars
31		= C-Band Radar
32		= C-Band VLBI Range Rate Difference Radars
33		= DSN S-Band Radar
34		= USB Radar
35		= GRARR S-Band Radar
36		= GRARR ATS-F C-Band Radar
37		= GRARR VHF Radar
38		= TRANET Doppler
39		= Geoeiver Doppler
40-44		Altimeter Height
40		= Long Pulse
41		= Short Pulse
45-49		Available for additional measurement types such as Altimeter Height Rate.
50-54		l and m Direction Cosines
51		= Minitrack Equatorial Mode
52		= Minitrack Polar Mode
55-59		Available for additional angles or cosines
60-63		X-Y Angles (East-West)
60		= USB Radar

Figure 4.7.14

FORTRAN
Variable

<u>Bytes</u>	<u>Type</u>	<u>Description</u>
(5-6 cont'd)		64-69 X-Y Angles (North-South)
		✓ 64 = USB Radar
		65 = GRARR S-Band Radar
		66 = GRARR ATS-F C-Band Radar
		67 = GRARR VHF Radar
		70-79 Azimuth and Elevation Angles
		* 70 = Laser
		71 = C-Band Radar
		73 = DSN S-Band Radar
		80-89 Available for additional Range type measurements
		90-99 Available for additional Range Rate type measurements
7-8	I*2	Time System Indicator (nm)
		<u>n value</u> <u>description</u>
		0 Ground Received Time
		*1 Satellite Transponder/Transmitter Time
		2 Ground Transmitted Time (Effec- tive Time for Averaged Altimeter Data, Types 40-44)
		3 Satellite Receiver Time

Figure 4.7.14

FORTTRAN
Variable

<u>Bytes</u>	<u>Type</u>	<u>Description</u>
(7-8 cont'd)		
	m value	<u>description</u>
	0	UT-0
	1	UT-1
	2	UT-2
	*3	UTC
	4	A.1
	5	A.3 (A.T. B.I.H.)
	6	A-S (Smithsonian)

* 9-12

I

Station Number

	0	Altimeter
1-	99	USB
500-	599	DSN
1000-	1999	NASA STADAN
1100-	1199	S-Band Radar (GRARR)
1500-	1599	Minitrack
1600-	1699	VHF Radar (GRARR)
2000-	2999	U. S. Navy TRANET Doppler
3000-	3999	U. S. Air Force Optical
4000-	4999	Interagency C-Band
5000-	5999	U. S. Army Secor
6000-	6999	Worldwide BC-4 Network
7000-	7999	NASA SPEOPT
8000-	8999	International Observers

Figure 4.7.14


<u>Bytes</u>	<u>FORTTRAN Variable Type</u>	<u>Description</u>
(9-12 cont'd)		9000- 9999 SAO
		10000-99999 U. S. Navy GEOCEIVER Doppler

*13-16

I

Preprocessing Indicators/Report

The preprocessing indicators are bit switches packed into a single 32 bit word. The rightmost bit (bit 31) is of lowest order and the leftmost bit (bit 0) is of highest order.



The preprocessing bits are configured as follows:

<u>Bits</u>	<u>Value</u>	<u>Description</u>
*0		This bit should always be zero filled.
1 - 2		Format Indicator (Types 40-44)
	1	Format 1
	2	Format 2
	3	Format 3
3		Beacon Activity Indicator (Types 10-14)
	0	Beacon Inactive or No Beacon
	1	Beacon Active

Figure 4.7.14

FORTRAN Variable		Description		
Bytes	Type	Bits	Value	Description
(13-16 cont'd)				
		4		Equator Designation (Types 10-14)
			0	Mean Equator and Equinox
			1	True Equator and Equinox
		5 - 6		Date of Equator and Equinox (Types 10-14)
			0	Standard Equator and Equinox (Jan 0.0 1950)
			1	Jan 0.0 of year of observation
			2	Equator and Equinox of Date (instant of observation)
			3	DODS Reference Date (0 hr. Sept. 19, 1957)
		7		Annual Aberration (Types 10-14)
			0	Data has been corrected
			1	Data has not been corrected
		8		Diurnal Aberration (Types 10-14)
			0	Data has been corrected
			1	Data has not been corrected
		9		Parallactic Refraction (Types 10-14)

Figure 4.7.14

FORTTRAN
Variable

<u>Bytes</u>	<u>Type</u>	<u>Description</u>
(13-16 cont'd)	<u>Bits</u>	<u>Value</u>
	0	Data has been corrected
	1	Data has not been corrected
*10-12		Tropospheric Refraction (all but Types 10-14)
	0	Data has been corrected
	1	Data has not been corrected
	2	Data has been corrected using the correction formulas for international laser data. Correction value is for zero zenith.
	3	Data has not been corrected. Correction value is for zero zenith.
	>3	Data has not been corrected. Bytes 53-56 contains meteorological data.
*13		Ionospheric Refraction (all but Types 10-14)
	0	Data has been corrected
	1	Data has not been corrected
14		Transponder Delay (Types 20-29)
	0	Data has been corrected
	1	Data has not been corrected (correction is required)

Figure 4.7.14

FORTTRAN
Variable

<u>Bytes</u>	<u>Type</u>	<u>Description</u>
(13-16 cont'd)		
	<u>Bits</u>	<u>Value</u>
		<u>Description</u>
	*15	Antenna Axis Displacement (Types 20-29)
	0	Data has been corrected (or no correction required)
	1	Data has not been cor- rected (correction is required)
	*16-17	Receiver Mount Type (all but Types 10-14, and Types 38-59)
	0	X-Y (East-West)
	*1	X-Y (North-South)
	*2	Azimuth-Elevation
	3	Hour Angle-Declination
	18-19	Transmitter Mount Type (all but Types 10-14, and Types 38-59)
	0	X-Y (East-West)
	*1	X-Y (North-South)
	*2	Azimuth-Elevation
	3	Hour Angle-Declination
	20-21	Transponder Channel/Type (Radar Data Only) or Altimeter Mode (Data Types 40-44)

Figure 4.7.14

FORTTRAN
Variable
Type

Bytes

Description

(13-16 cont'd)

Transponder Channel for GRARR

0 Channel A

1 Channel B

2 Channel C

Altimeter Mode

0 Global Track Mode

1 Intensive Track Mode

>1 Not in track mode

Transponder Type for Other Systems

0 Skin Track

1 Coherent

2 Non-coherent

22-25

Range Ambiguity Levels

For DSN S-Band

0 MARK 1A (824,809,582.0m)

1 TAU (151,285,510.38518m)

For USB

1 824809582.0m

For GRARR S-Band

1 18737031.3m


2 4684257.8m

3 936851.6m

Figure 4.7.14

FORTRAN
Variable

<u>Bytes</u>	<u>Type</u>	<u>Description</u>
(13-16 cont'd)		
		<u>Bits</u> <u>Value</u> <u>Description</u>
		26-31 Preprocessing Report
		0 Report not specified
		--- Other values to be assigned later
*17-20	I	Modified Julian Date (MJD) of observation. JD = MJD + 2400000.5 <i>See RALPH'S DATE CHART AT END</i>
*21-28	DP	Fraction of Day Past Midnight (GMT)
29-68		These words have different uses for each of the measurement types, except for Bytes 53-56 which contains meteorological data for the troposphere if Bit 10 of the preprocessing indicator word (Bytes 13-16) has been set on. If Bit 10 of the preprocessing indicator word is on, the format of Bytes 53-56 is as follows:
53-56	I	Meteorological Data Report
		The pressure temperature and relative humidity are packed into a single 32-bit word. The rightmost bit (bit 31) is of lowest order and the leftmost bit (bit 0) is of highest order.



0

31

The meteorological bits are configured as follows:

<u>Bits</u>	<u>Values</u>	<u>Description</u>
0		This bit should always be zero filled.
1- 7	0-100	Relative humidity at the tracking site.

Figure 4.7.14

FORTRAN Variable		Description		
<u>Bytes</u>	<u>Type</u>	<u>Bits</u>	<u>Values</u>	<u>Description</u>
(53-56 cont'd)				
		8-19	>0	Temperature in Degrees Kelvin
		20-31	>0	Atmospheric pressure in millibars.

Bytes 29-68 for Angle Measurements (Types 10-19, 60-79)

FORTRAN Variable		Description		
<u>Bytes</u>	<u>Type</u>	<u>Bits</u>	<u>Values</u>	<u>Description</u>
*29-36	DP			Observation Value in Radians for Right Ascension, or Hour Angle, or Azimuth, or X-Angle
*37-44	DP			Observation Value in Radians for Declination, or Elevation, or Y-Angle
45-48	R			Standard Deviation in Radians for Observation in Bytes 29-36. For R.A. and H.A. sigma value is multiplied by cosine of the declination. For Azimuth sigma value is multiplied by cosine of elevation.
49-52	R			Standard Deviation in Radians for Observation in Bytes 37-44.
53-56	R			Tropospheric Refraction Correction in Radians for X-Angle
57-60	R			Tropospheric Refraction Correction in Radians for Y-Angle or Elevation
60-68				Not Used

Figure 4.7.14

Bytes 29-68 for Range and Range Rate Measurements (Types 20-39)

<u>Bytes</u>	<u>FORTTRAN Variable, Type</u>	<u>Description</u>
*29-36	DP	Observation Value in Meters for Range (Types 20-29) and Meters/Second for Range Rates (Types 30-39)
37-40	I	Transmitting or Reference Station Number for Average Range Rate or VLBI Range Difference and Range Rate Difference
41-44	I	Relay Satellite ID for Satellite-to-Satellite Tracking Data
45-48	R	Standard Deviation of Observation in Same Units as Observation
49-52	I	Counting Interval in Microseconds for Average Range Rate Data (Types 30, 33, 34, and 38)
53-56	R	Tropospheric Refraction Correction in Same Units as Observation. For international observers, the value in this field is for a zenith angle of zero degrees.
57-60	R	Ionospheric Refraction Correction in Same Units as Observation
61-64	R	Receiver Antenna Axis Displacement in Meters
65-68	R	Transmitter Antenna Axis Displacement in Meters

Figure 4.7.14

GEOS-C DECIMAL FORMAT

(* Information Pertains to Laser Data)

Range and Range Difference

<u>Columns</u>	<u>Subset</u>	<u>Description</u>
* 1- 7		Satellite - ID
* 8- 9		Measurement Type
	20-29	Range or Range Difference
	20=	Laser
	21=	C-Band Radar
	22=	C-Band VLBI Range Difference Radars
	23=	DSN S-Band Radar
	24=	USB Radar
	25=	GRARR S-Band Radar
	26=	GRARR ATS-F S-Band Radar
	27=	GRARR VHF Radar
*10-11		Time System Indicator
	*10	0 = Ground Received Time *1 = Satellite Transponder/Transmitter Time 2 = Ground Transmitted Time 3 = Satellite Receiver Time
	*11	0 = UT-0 1 = UT-1 2 = UT-2 *3 = UT-C 4 = A.1 5 = A.3 (A.T. B.I.H.) 6 = A-S (Smithsonian)
* 2-16		Station ID
* 7-32		GMT of Observation
	*17-18	Year
		YY

Figure 4.7.15

<u>Columns</u>	<u>Subset</u>	<u>Description</u>
	*19-21	Day of Year DDD
	*22-26	Time of Day (Seconds from midnight GMT)
	*27-32	Fractional Part of Seconds (in microseconds)
3-35		<u>Preprocessing Indicators</u>
	*33	0 = Data has been corrected for ionospheric refraction effects. 1 = Data not corrected for ionospheric refraction.
	*34	0 = Data has been corrected for tropospheric refraction effects. 1 = Data not corrected for tropospheric refraction. 2 = Data has been corrected for tropospheric refraction using the correction formulas for international laser data (see Cols. 76-80). 3 = Data not corrected for tropospheric refraction. Cols. 76-80 contain coefficient for use with international laser formulas.
	35	0 = Data has been corrected for transponder delay effects. 1 = Data not corrected for transponder delay.
36-54		<u>Observation Data</u>
	*36-45	Range or Range Difference (Km)
	*46-54	Range or Range Difference XXX.XXXXXX Meters (NOTE: In this format, XX.XX - Decimal Point is implied.)

Figure 4.7.15

<u>Columns</u>	<u>Subset</u>	<u>Description</u>
55-56		<u>Preprocessing Indicators</u>
	55	Preprocessing Report
		0 = Report not indicated
		1-9, A-Z values to be assigned.
	56	Transponder type for pulse radars.
		1 - coherent
		2 - non-coherent
		or
		Transponder Channel for GRARR
		1 = Channel A or 1st sidetone
		2 = Channel B or 2nd sidetone
		3 = Channel C or 3rd sidetone
57-61		Reference station number for range differencing or transmitting station number for station-to-satellite-to-satellite-to-station data.
62-68		Relay satellite-ID for satellite-to-satellite data.
69-73		Measurement standard deviation XX.XXX Meters
74		Range ambiguity indicator
		For DSC S-Band
		1 - MARK 1A (824809582.0 m)
		2 - TAU (151285510.38518 m)
		For USB
		1 - 824809582.0 m

Figure 4.7.15

<u>Columns</u>	<u>Subset</u>	<u>Description</u>
----------------	---------------	--------------------

For GRARR S-Band

1 - 18737031.3 m
2 - 4684257.8 m
3 - 936851.6 m

75

Not used

76-80

Tropospheric refraction correction

XX.XXX Meters or

Coefficient of Tropospheric Refraction

for international lasers (see Col. 34)

XX.XXX Meters

GEOS-C Decimal Azimuth/Elevation and X-Y Angles Format

Columns

Subset

Description

* 1- 7

Satellite-ID

* 8- 9

Measurement Type

60-63 X-Y Angles (East-West)

60 = USB Radar

64-69 X-Y (North-South)

64 = USB Radar

65 = GRARR S-Band Radar

66 = GRARR ATS-F C-Band Radar

67 = GRARR VHF Radar

70-79 Azimuth and Elevation Angles

*70 = Laser

71 = C-Band Radar

73 = DSN S-Band Radar

*10-11

Time System Indicator

*10

0 = Ground Received Time

*1 = Satellite Transponder/Transmitter Time

2 = Ground Transmitted Time

3 = Satellite Receiver Time

Figure 4.7.15

ColumnsSubsetDescription

*11

0 = UT-0

1 = UT-1

2 = UT-2

*3 = UT-C

4 = A.1

5 = A.3 (A.T. B.I.H.)

6 = A-S (Smithsonian)

*12-16

Station ID

*17-32

GMT of Observation

*17-18

Year

YY

*19-21

Day of Year

DDD

*22-26

Time of Day (seconds from midnight GMT)

*27-32

Fractional Part of Seconds (in microseconds)

*33-34

Refraction Indicators

33

0 = Data has been corrected for ionospheric effects.

1 = Data not corrected for ionospheric effects.

34

0 = Data has been corrected for tropospheric effects.

1 = Data not corrected for tropospheric effects.

35

Not used.

36-54

Observation Data

*36-38

Azimuth or X angle (degrees). Sign of X angle appears in Col. 36.

Figure 4.7.15

<u>Columns</u>	<u>Subset</u>	<u>Description</u>
	*39-40	Azimuth or X angle (arc minutes)
	*41-45	Azimuth or X angle XX.XXXX Arc Seconds
	46	Sign of Y angle
	47-48	Elevation or Y angle (degrees)
	49-50	Elevation or Y angle (minutes)
	51-54	Elevation or Y angle XX.XX Arc Seconds
55-57		Not Used.
58-61		Standard deviation in X angle or azimuth XX.XX Arc Minutes
62-65		Standard deviation in elevation or Y angle XX.XX Arc Minutes
66		Preprocessing Report 0 = Report not indicated 1-9, A-Z Values to be assigned
67-71		Tropospheric refraction correction to X angle XXX.XX Arc Minutes
72-76		Tropospheric refraction correction to Y angle or elevation XXX.XX Arc Minutes
77-80		Not used.

Figure 4.7.15

TABLE I

445

JULIAN DAY NUMBER

DAYS ELAPSED AT GREENWICH NOON, A. D. 1950-2000

Year	Jan. 0	Feb. 0	Mar. 0	Apr. 0	May 0	June 0	July 0	Aug. 0	Sept. 0	Oct. 0	Nov. 0	Dec. 0
1950	243 3282	3313	3341	3372	3402	3433	3463	3494	3525	3555	3586	3616
1951	3647	3678	3706	3737	3767	3798	3828	3859	3890	3920	3951	3981
1952	4012	4043	4072	4103	4133	4164	4194	4225	4256	4286	4317	4347
1953	4378	4409	4437	4468	4498	4529	4559	4590	4621	4651	4682	4712
1954	4743	4774	4802	4833	4863	4894	4924	4955	4986	5016	5047	5077
1955	243 5108	5139	5167	5198	5228	5259	5289	5320	5351	5381	5412	5442
1956	5473	5504	5533	5564	5594	5625	5655	5686	5717	5747	5778	5808
1957	5839	5870	5898	5929	5959	5990	6020	6051	6082	6112	6143	6173
1958	6204	6235	6263	6294	6324	6355	6385	6416	6447	6477	6508	6538
1959	3 6569	6600	6628	6659	6689	6720	6750	6781	6812	6842	6873	6903
1960	243 6934	6965	6994	7025	7055	7086	7116	7147	7178	7208	7239	7269
1961	7300	7331	7359	7390	7420	7451	7481	7512	7543	7573	7604	7634
1962	7665	7696	7724	7755	7785	7816	7846	7877	7908	7938	7969	7999
1963	8030	8061	8089	8120	8150	8181	8211	8242	8273	8303	8334	8364
1964	8395	8426	8455	8486	8516	8547	8577	8608	8639	8669	8700	8730
1965	243 8761	8792	8820	8851	8881	8912	8942	8973	9004	9034	9065	9095
1966	9126	9157	9185	9216	9246	9277	9307	9338	9369	9399	9430	9460
1967	9491	9522	9550	9581	9611	9642	9672	9703	9734	9764	9795	9825
1968	9856	9887	9916	9947	9977	*0008	*0038	*0069	*0100	*0130	*0161	*0191
1969	244 0222	0253	0281	0312	0342	0373	0403	0434	0465	0495	0526	0556
1970	244 0587	0618	0646	0677	0707	0738	0768	0799	0830	0860	0891	0921
1971	0952	0983	1011	1042	1072	1103	1133	1164	1195	1225	1256	1286
1972	1317	1348	1377	1408	1438	1469	1499	1530	1561	1591	1622	1652
1973	1683	1714	1742	1773	1803	1834	1864	1895	1926	1956	1987	2017
1974	2048	2079	2107	2138	2168	2199	2229	2260	2291	2321	2352	2382
1975	244 2413	2444	2472	2503	2533	2564	2594	2625	2656	2686	2717	2747
1976	2778	2809	2838	2869	2899	2930	2960	2991	3022	3052	3083	3113
1977	3144	3175	3203	3234	3264	3295	3325	3356	3387	3417	3448	3478
1978	3509	3540	3568	3599	3629	3660	3690	3721	3752	3782	3813	3843
1979	3874	3905	3933	3964	3994	4025	4055	4086	4117	4147	4178	4208
1980	244 4239	4270	4299	4330	4360	4391	4421	4452	4483	4513	4544	4574
1981	4605	4636	4664	4695	4725	4756	4786	4817	4848	4878	4909	4939
1982	4970	5001	5029	5060	5090	5121	5151	5182	5213	5243	5274	5304
1983	5335	5366	5394	5425	5455	5486	5516	5547	5578	5608	5639	5669
1984	5700	5731	5760	5791	5821	5852	5882	5913	5944	5974	6005	6035
1985	244 6046	6097	6125	6156	6186	6217	6247	6278	6309	6339	6370	6400
1986	6431	6462	6490	6521	6551	6582	6612	6643	6674	6704	6735	6765
1987	6796	6827	6855	6886	6916	6947	6977	7008	7039	7069	7100	7130
1988	7161	7192	7221	7252	7282	7313	7343	7374	7405	7435	7466	7496
1989	7527	7558	7586	7617	7647	7678	7708	7739	7770	7800	7831	7861
1990	244 7892	7923	7951	7982	8012	8043	8073	8104	8135	8165	8196	8226
1991	8257	8288	8316	8347	8377	8408	8438	8469	8500	8530	8561	8591
1992	8622	8653	8682	8713	8743	8774	8804	8835	8866	8896	8927	8957
1993	8988	9019	9047	9078	9108	9139	9169	9200	9231	9261	9292	9322
1994	9353	9384	9412	9443	9473	9504	9534	9565	9596	9626	9657	9687
1995	244 9718	9749	9777	9808	9838	9869	9899	9930	9961	9991	*0022	*0052
1996	245 0083	0114	0143	0174	0204	0235	0265	0296	0327	0357	0388	0418
1997	0449	0480	0508	0539	0569	0600	0630	0661	0692	0722	0753	0783
1998	0814	0845	0873	0904	0934	0965	0995	1026	1057	1087	1118	1148
1999	1179	1210	1238	1269	1299	1330	1360	1391	1422	1452	1483	1513
2000	245 1544	1575	1604	1635	1665	1696	1726	1757	1788	1818	1849	1879

DUP OF TAPE ~~X-429~~

INPUT TAEF X-429 01 MSZ

DATA INPUT H9 FL 1 1 1

6 18 78 - 6 30 78 -

SEAST-1
S3000

[illegible]

(5000)	20820820	80828048	C54CEFD0	00000025	00000000	00000000	00989680	00FFFFFF	00000000	00000000
(5240)	00000000	00480000	007710C1	00220003	00000025	110D5000	0000AA9D	40D98A6D	FC3518A6	309E0958
(5080)	1A326485	00000025	00000000	00000000	00989680	00FFFFFF	00000000	00000000	00000000	00480000
(5120)	007710C1	00220003	00000025	110D5000	0000AA9D	40D99203	CAE75920	3052742D	FA64FE8F	00000025
(5160)	00000000	00000000	00989680	00FFFFFF	00000000	00000000	00000000	00480000	007710C1	00220003
(5200)	00000025	110D5000	0000AA9D	40D99999	99999999	80C0646B	3CC04B96	00000025	00000000	00000000
(5240)	00989680	00FFFFFF	00000000	00000000	00000000	00480000	007710C1	00220003	00000025	110D5000
(5280)	0000AA9D	40D9A12F	684B0A12	3078AE44	F34C1B77	00000025	00000000	00000000	00989680	00FFFFFF
(5320)	00000000	00000000	00000000	00480000	007710C1	00220003	00000025	110D5000	0000AA9D	40D9A8C5
(5360)	36FE1A8C	3CDBEC7A	C986C05B	00000025	00000000	00000000	00989680	00FFFFFF	00000000	00000000
(5400)	00000000	00480000	007710C1	00220003	00000025	110D5000	0000AA9D	40D9B7F0	D4629B7F	BD180C8D
(5440)	6573F840	00000025	00000000	00000000	01312000	00FFFFFF	00000000	00000000	00000000	00480000
(5480)	007710C1	00220003	00000025	110D5000	0000AA9D	40D9BF86	A314DBF6	3078AE44	F34C1B70	00000025
(5520)	00000000	00000000	00989680	00FFFFFF	00000000	00000000	00000000	00480000	007710C1	00220003
(5560)	00000025	110D5000	0000AA9D	40D9C71C	71C71C71	BD972A54	43E62EBC	00000025	00000000	00000000
(5600)	00989680	00FFFFFF	00000000	00000000	00000000	00480000	007710C1	00220003	00000025	110D5000
(5640)	0000AA9D	40D9CEB2	40795CEB	3044B626	40CC9289	00000025	00000000	00000000	00989680	00FFFFFF
(5680)	00000000	00000000	00000000	00480000	007710C1	00220003	00000025	110D5000	0000AA9D	40D9D648
(5720)	0F2B9D64	3C6DFC3D	64C3602D	00000025	00000000	00000000	00989680	00FFFFFF	00000000	00000000
(5760)	00000000	00480000	007710C1	00220003	00000025	110D5000	0000AA9D	40D9DDDD	DDDDDDDD	BD30D722
(5800)	778050E4	00000025	00000000	00000000	00989680	00FFFFFF	00000000	00000000	00000000	00480000
(5840)	007710C1	00220003	00000025	110D5000	0000AA9D	40D9ED09	7B425ED0	3D112D89	937324A2	00000025
(5880)	00000000	00000000	01312000	00FFFFFF	00000000	00000000	00000000	00480000	007710C1	00220003
(5920)	00000025	110D5000	0000AA9D	40D9F49F	49F49F49	BD293A16	F8E71CE2	00000025	00000000	00000000
(5960)	00989680	00FFFFFF	00000000	00000000	00000000	00480000	007710C1	00220003	00000025	110D5000
(6000)	0000AA9D	40D9FC35	18A6DFC3	3CDBEC7A	C986C05B	00000025	00000000	00000000	00989680	00FFFFFF
(6040)	00000000	00000000	00000000	00480000	007710C1	00220003	00000025	110D5000	0000AA9D	40DAC3CA
(6080)	E759203C	301B7C0F	54E575A6	00000025	00000000	00000000	00989680	00FFFFFF	00000000	00000000
(6120)	00000000	00480000	007710C1	00220003	00000025	110D5000	0000AA9D	40DA0B6C	B60B60B6	BD36F81E
(6160)	A1342683	00000025	00000000	00000000	00989680	00FFFFFF	00000000	00000000	00000000	00480000
(6200)	007710C1	00220003	00000025	110D5000	0000AA9D	40DA12F6	848DA12F	3044B626	40CC9289	00000025
(6240)	00000000	00000000	00989680	00FFFFFF	00000000	00000000	00000000	00480000	007710C1	00220003
(6280)	00000025	110D5000	0000AA9D	40DA1A8C	536FE1A8	309E0958	1A326485	00000025	00000000	00000000
(6320)	00989680	00FFFFFF	00000000	00000000	00000000	00480000	007710C1	00220003	00000025	110D5000
(6360)	0000AA9D	40DA2222	22222222	BD9C4B50	6D99F8AF	00000025	00000000	00000000	00989680	00FFFFFF
(6400)	00000000	00000000	00000000	00480000	007710C1	00220003	00000025	110D5000	0000AA9D	40DA29B7
(6440)	F004629B	BD52742D	F6199C27	00000025	00000000	00000000	00989680	00FFFFFF	00000000	00000000
(6480)	00000000	00480000	007710C1	00220003	00000025	110D5000	0000AA9D	40DA314D	BF86A314	30896C4C
(6520)	9B992512	00000025	00000000	00000000	00989680	00FFFFFF	00000000	00000000	00000000	00480000
(6560)	007710C1	00220003	00000025	110D5000	0000AA9D	40DA38E3	8E38E38E	BD6DF03D	46B3AF6A	00000025
(6600)	00000000	00000000	00989680	00FFFFFF	00000000	00000000	00000000	00480000	007710C1	00220003
(6640)	00000025	110D5000	0000AA9D	40DA4079	5CEB2407	BD44B626	40CC9289	00000025	00000000	00000000
(6680)	00989680	00FFFFFF	00000000	00000000	00000000	00480000	007710C1	00220003	00000025	110D5000
(6720)	0000AA9D	40DA480F	2B9D6480	30671139	74B2DBCD	00000025	00000000	00000000	00989680	00FFFFFF
(6760)	00000000	00000000	00000000	00480000	007710C1	00220003	00000025	110D5000	0000AA9D	40DA4FA4
(6800)	FA4FA4FA	BD4B952A	1FCDB626	00000025	00000000	00000000	00989680	00FFFFFF	00000000	00000000
(6840)	00000000	00480000	007710C1	00220003	00000017	110D5000	0000AAA6	4019A12F	684EDA12	4E00DC91
(6880)	C77E2CA8	00000017	00000000	00000000	00000000	00FFFFFF	00000000	00000000	00000000	00480000
(6920)	007710C1	00220003	00000017	110D5000	0000AAA6	4019A8C5	36FE1A8C	C3A819AC	720CAA18	00000017
(6960)	00000000	00000000	00989680	00FFFFFF	00000000	00000000	00000000	00480000	007710C1	00220003
(7000)	00000017	110D5000	0000AAA6	4019B05B	55B05B05	C3A51957	28D12FCB	00000017	00000000	00000000
(7040)	00989680	00FFFFFF	00000000	00000000	00000000	00480000	007710C1	00220003	00000017	110D5000
(7080)	0000AAA6	4019B7F0	D4629B7F	C3A1DC5B	2C760120	00000017	00000000	00000000	00989680	00FFFFFF
(7120)	00000000	00000000	00000000	00480000	007710C1	00220003	00000017	110D5000	0000AAA6	4019BF86
(7160)	A314DBF8	C39E5F3D	19E77F93	00000017	00000000	00000000	00989680	00FFFFFF	00000000	00000000
(7200)	00000000									

FILE	1	RECORD	58	LENGTH	3316BYTES						
(0)	0CF40000	00480000	007710C1	00220003	00000047	110D5000	0000AAA9	40F72407	95CEB24C	C320CE98	
(40)	2103AC77	00000047	00000000	00000000	00989680	4712E3F6	01000030	00000000	00000000	00480000	
(80)	007710C1	00220003	00000047	110D5000	0000AAA9	40F72B9D	648CF2B9	C1FDF5A9	3E7E9174	00000047	
(120)	00000000	00000000	00989680	4712E3F6	00000000	00220003	00000000	00480000	007710C1	00220003	
(160)	00000047	110D5000	0000AAA9	40F73333	33333333	431ED65E	A30EE272	00000047	00000000	00000000	
(200)	00989680	4712E3F6	00000000	00000000	00000000	00480000	007710C1	00220003	00000047	110D5000	

INPUT TAPE X-429 ON MS1
DATA INPUT H9 FL 1 2 2

FILE	1	RECORD	1	LENGTH	7204BYTES
(0)	1C240000	00480000	00004040	00220003	00000018 11ED5000 0000AB06 3F2C16C1 6C16C16C C41733CE
(40)	DF75D867	00000018	00000000	00000000	00989680 4F12F3E6 00000000 4127020C 4127020C 00480000
(80)	00004040	00220003	00000018	11ED5000	0000AB06 3F2C901E 573AC901 C4170E80 156F7A5D 00000018
(120)	00000000	00000000	00989680	4F12F3E6	00000000 4127020C 4127020C 00480000 00004040 00220003
(160)	00000018	11ED5000	0000AB06	3F2D097F	425E0097 C416E64B 604F5566 00000018 00000000 00000000
(200)	00989680	4F12F3E6	00000000	4127020C	4127020C 00480000 00004040 00220003 00000018 11ED5000
(240)	0000AB06	3F2D082D	2082D82D	C416B600	97F2C10F 00000018 00000000 00000000 00989680 4F12F3E6
(280)	00000000	4127020C	4127020C	00480000	00004040 00220003 00000018 11ED5000 0000AB06 3F2DFC35
(320)	18A6DFC3	C4168C5F	B5378BF7	00000018	00000000 00000000 00989680 4F12F3E6 00000000 4127020C
(360)	4127020C	00480000	00004040	00220003	00000018 11ED5000 0000AB06 3F2E7592 03CAE759 C4165A2B
(400)	70030350	00000018	00000000	00000000	00989680 4F12F3E6 00000000 4127020C 4127020C 00480000
(440)	00004040	00220003	00000018	11ED5000	0000AB06 3F2EEEEEE EEEEEEEE C4162426 65EF1AE2 00000018
(480)	00000000	00000000	00989680	4F12F3E6	00000000 4127020C 4127020C 00480000 00004040 00220003
(520)	00000018	11ED5000	0000AB06	3F2F684B	DA12F684 C415EA07 461357D5 00000018 00000000 00000000
(560)	00989680	4F12F3E6	00000000	4127020C	4127020C 00480000 00004040 00220003 00000018 11ED5000
(600)	0000AB06	3F2FE1A8	C536FE1A	C415AB82	18E76A44 00000018 00000000 00000000 00989680 4F12F3E6
(640)	00000000	4127020C	4127020C	00480000	00004040 00220003 00000018 11ED5000 0000AB06 3F305B05
(680)	B05B05B0	C4156848	0DAC4D82	00000018	00000000 00000000 00989680 4F12F3E6 00000000 4127020C
(720)	4127020C	00480000	00004040	00220003	00000018 11ED5000 0000AB06 3F30D462 9B7F0D46 C4152004
(760)	FD48F706	00000018	00000000	00000000	00989680 4F12F3E6 00000000 4127020C 4127020C 00480000
(800)	00004040	00220003	00000018	11ED5000	0000AB06 3F314DBF 86A314DB C414D25A AFB0A1FD 00000018
(840)	00000000	00000000	00989680	4F12F3E6	00000000 4127020C 4127020C 00480000 00004040 00220003
(880)	00000018	11ED5000	0000AB06	3F31C71C	71C71C71 C4147EE8 ECD80FED 00000018 00000000 00000000
(920)	00989680	4F12F3E6	00000000	4127020C	4127020C 00480000 00004040 00220003 00000018 11ED5000
(960)	0000AB06	3F324C79	5CEB2407	C4142549	4D716AF1 00000018 00000000 00000000 00989680 4F12F3E6
(1000)	00000000	4127020C	4127020C	00480000	00004040 00220003 00000018 11ED5000 0000AB06 3F32B9D6
(1040)	480F2B9D	C413C50F	3B6DCAB7	00000018	00000000 00000000 00989680 4F12F3E6 00000000 4127020C
(1080)	4127020C	00480000	00004040	00220003	00000018 11ED5000 0000AB06 3F333333 33333333 C4135DC8
(1120)	20228E59	00000018	00000000	00000000	00989680 4F12F3E6 00000000 4127020C 4127020C 00480000
(1160)	00004040	00220003	00000018	11ED5000	0000AB06 3F33AC90 1E573AC9 C412EEFE 5225DE5E 00000018
(1200)	00000000	00000000	00989680	4F12F3E6	00000000 4127020C 4127020C 00480000 00004040 00220003
(1240)	00000018	11ED5000	0000AB06	3F3425ED	097B425E C4127837 FD4ED0A3 00000018 00000000 00000000
(1280)	00989680	4F12F3E6	00000000	4127020C	4127020C 00480000 00004040 00220003 00000018 11ED5000
(1320)	0000AB06	3F349F49	F49F49F4	C411F8F8	4C50BE3D 00000018 00000000 00000000 00989680 4F12F3E6
(1360)	00000000	4127020C	4127020C	00480000	00004040 00220003 00000018 11ED5000 0000AB06 3F3518A6
(1400)	DFC3518A	C41170BF	EEB80E37	00000018	00000000 00000000 00989680 4F12F3E6 00000000 4127020C
(1440)	4127020C	00480000	00004040	00220003	00000018 11ED5000 0000AB06 3F359203 CAE75920 C410DF10
(1480)	5EC4188E	00000018	00000000	00000000	00989680 4F12F3E6 00000000 4127020C 4127020C 00480000
(1520)	00004040	00220003	00000018	11ED5000	0000AB06 3F360B60 B60B60B6 C410436F 5F15087C 00000018
(1560)	00000000	00000000	00989680	4F12F3E6	00000000 4127020C 4127020C 00480000 00004040 00220003
(1600)	00000018	11ED5000	0000AB06	3F3684BD	A12F684B C3F9D687 5DF7FCAB 00000018 00000000 00000000
(1640)	00989680	4F12F3E6	00000000	4127020C	4127020C 00480000 00004040 00220003 00000018 11ED5000
(1680)	0000AB06	3F36FE1A	8C536FE1	C3EEC910	1C4C0464 00000018 00000000 00000000 00989680 4F12F3E6
(1720)	00000000	4127020C	4127020C	00480000	00004040 00220003 00000018 11ED5000 0000AB06 3F377777
(1760)	77777777	C3E308A1	38174D96	00000018	00000000 00000000 00989680 4F12F3E6 00000000 4127020C
(1800)	4127020C	00480000	00004040	00220003	00000018 11ED5000 0000AB06 3F37F004 629B7F0D C3D69097
(1840)	9111A24D	00000018	00000000	00000000	00989680 4F12F3E6 00000000 4127020C 4127020C 00480000
(1880)	00004040	00220003	00000018	11ED5000	0000AB06 3F386A31 4DBF86A3 C3C950C5 DC887134 00000018
(1920)	00000000	00000000	00989680	4F12F3E6	00000000 4127020C 4127020C 00480000 00004040 00220003
(1960)	00000018	11ED5000	0000AB06	3F38E38E	38E38E38 C3BB6ECF 0B1F24A7 00000018 00000000 00000000
(2000)	00989680	4F12F3E6	00000000	4127020C	4127020C 00480000 00004040 00220003 00000018 11ED5000
(2040)	0000AB06	3F395CEB	241795CE	C3ACC477	2E9A0910 00000018 00000000 00000000 00989680 4F12F3E6
(2080)	00000000	4127020C	4127020C	00480000	00004040 00220003 00000018 11ED5000 0000AB06 3F39D648
(2120)	CF2B9D64	C39D61FC	5839D9C4	00000018	00000000 00000000 00989680 4F12F3E6 00000000 4127020C
(2160)	4127020C	00480000	00004040	00220003	00000018 11ED5000 0000AB06 3F3A4FA4 FA4FA4FA C38D4D81
(2200)	8E465ED8	00000018	00000000	00000000	00989680 4F12F3E6 00000000 4127020C 4127020C 00480000
(2240)	00004040	00220003	00000018	11ED5000	0000AB06 3F3AC901 E573AC90 C37C904C 8E93DC0C 00000018

(6200)	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFF425E	D097B425	43C7C99E	9E96996D	00000017
(6240)	00000000	00000000	00989680	2B1243A2	00000000	417028F5	417028F5	00480000	007710C1	00220003
(6280)	00000017	11ED0000	0000AB0E	4CFF49F4	9F49F49F	43D29014	AE61F617	00000017	00000000	00000000
(6320)	00989680	2B1243A2	00000000	417028F5	417028F5	0C480000	007710C1	00220003	00000017	11ED0000
(6360)	0000AB0E	4CFF518A	6DFC3518	43D08662	523C98A9	00000017	00000000	00000000	00989680	2B1243A2
(6400)	00000000	417028F5	417028F5	0C480000	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFF5923
(6440)	3CAE7592	43E7EE81	A498A2F9	00000017	00000017	00000000	00989680	2B1243A2	00000000	417028F5
(6480)	417028F5	00480000	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFF60B6	0B60B60B	43F10B58
(6520)	BB13C3A9	00000017	00000000	00000000	00989680	2B1243A2	00000000	417028F5	417028F5	00480000
(6560)	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFF684B	DA12F684	43FB208F	5987A173	00000017
(6600)	00000000	00000000	00989680	2B1243A2	00000000	417028F5	417028F5	00480000	007710C1	00220003
(6640)	00000017	11ED0000	0000AB0E	4CFF6FE1	A8C536FE	441C3F26	9FC7640B	00000017	00000000	00000000
(6680)	00989680	2B1243A2	00000000	417028F5	417028F5	0C480000	007710C1	00220003	00000017	11ED0000
(6720)	0000AB0E	4CFF7777	77777777	4410C45A	B2B4FE95	00000017	00000000	00000000	00989680	2B1243A2
(6760)	00000000	417028F5	417028F5	00480000	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFF7F0D
(6800)	4629B7FD	441141F4	2AE481D4	00000017	00000000	00000000	00989680	2B1243A2	00000000	417028F5
(6840)	417028F5	00480000	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFF86A3	14DBF86A	4411E847
(6880)	F139C338	00000017	00000000	00000000	00989680	2B1243A2	00000000	417028F5	417028F5	00480000
(6920)	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFF8E38	E38E38E3	441227AB	E7ACE30C	00000017
(6960)	00000000	00000000	00989680	2B1243A2	00000000	417028F5	417028F5	00480000	007710C1	00220003
(7000)	00000017	11ED0000	0000AB0E	4CFF95CE	B240795C	44129075	9AC41F6	00000017	00000000	00000000
(7040)	00989680	2B1243A2	00000000	417028F5	417028F5	0C480000	007710C1	00220003	00000017	11ED0000
(7080)	0000AB0E	4CFF9D64	80F2B9D6	4412F2FB	CADDCC06	00000017	00000000	00000000	00989680	2B1243A2
(7120)	00000000	417028F5	417028F5	00480000	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFFA4FA
(7160)	4FA4FA4F	44134F8E	73A71847	00000017	00000000	00000000	00989680	2B1243A2	00000000	417028F5
(7200)	417028F5									

FILE	1	RECORD	109	LENGTH	1660	BYTES					
(0)	067C0000	00480000	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFFAC90	1E573AC9	4413A682	
(40)	DA4DC0EE	00000017	00000000	00000000	00989680	2B1243A2	00000000	417028F5	417028F5	00480000	
(80)	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFFB425	ED097B42	4413F826	EEEEFF2AA	00000017	
(120)	00000000	00000000	00989680	2B1243A2	00000000	417028F5	417028F5	0C480000	007710C1	00220003	
(160)	00000017	11ED0000	0000AB0E	4CFFB8BB	BBB8BBB8	441444C8	58A7AD55	00000017	00000000	00000000	
(200)	00989680	2B1243A2	00000000	417028F5	417028F5	0C480000	007710C1	00220003	00000017	11ED0000	
(240)	0000AB0E	4CFFC351	8A6DFC35	44148CC2	5A3B8EB9	00000017	00000000	00000000	00989680	2B1243A2	
(280)	00000000	417028F5	417028F5	00480000	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFFCAE7	
(320)	59203CAE	44140031	A1ED93D8	00000017	00000000	00000000	00989680	2B1243A2	00000000	417028F5	
(360)	417028F5	00480000	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFFD27D	27D27D27	44150F6B	
(400)	6DA8D18A	00000017	00000000	00000000	00989680	2B1243A2	00000000	417028F5	417028F5	00480000	
(440)	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFFD27D	27D27D27	44150F6B	6DA8D18A	00000017	
(480)	00000000	00000000	00989680	2B1243A2	00000000	417028F5	417028F5	00480000	007710C1	00220003	
(520)	00000017	11ED0000	0000AB0E	4CFFDA12	F684BDA1	44154ACD	EE3BCA80	00000017	00000000	00000000	
(560)	00989680	2B1243A2	00000000	417028F5	417028F5	0C480000	007710C1	00220003	00000017	11ED0000	
(600)	0000AB0E	4CFFDA12	F684BDA1	44154ACD	EE3BCA80	00000017	00000000	00000000	00989680	2B1243A2	
(640)	00000000	417028F5	417028F5	00480000	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFFE1A8	
(680)	C536FE1A	44158256	148D77DB	00000017	00000000	00000000	00989680	2B1243A2	00000000	417028F5	
(720)	417028F5	00480000	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFFE1A8	C536FE1A	44158256	
(760)	148D77DB	00000017	00000000	00000000	00989680	2B1243A2	00000000	417028F5	417028F5	00480000	
(800)	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFFE93E	93E93E93	4415B669	AC1B4B0C	00000017	
(840)	00000000	00000000	00989680	2B1243A2	00000000	417028F5	417028F5	00480000	007710C1	00220003	
(880)	00000017	11ED0000	0000AB0E	4CFFE93E	93E93E93	4415B669	AC1B4B0C	00000017	00000000	00000000	
(920)	00989680	2B1243A2	00000000	417028F5	417028F5	0C480000	007710C1	00220003	00000017	11ED0000	
(960)	0000AB0E	4CFFF0D4	629B7F0D	4415E761	C7E32B0B	00000017	00000000	00000000	00989680	2B1243A2	
(1000)	00000000	417028F5	417028F5	00480000	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFFF0D4	
(1040)	629B7F0D	4415E761	C7E32B0B	00000017	00000000	00000000	00989680	2B1243A2	00000000	417028F5	
(1080)	417028F5	00480000	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFFF86A	314DBF86	44161504	
(1120)	E3040753	00000017	00000000	00000000	00989680	2B1243A2	00000000	417028F5	417028F5	00480000	
(1160)	007710C1	00220003	00000017	11ED0000	0000AB0E	4CFFF86A	314DBF86	44161504	E3040753	00000017	
(1200)	00000000	00000000	00989680	2B1243A2	00000000	417028F5	417028F5	00480000	007710C1	00220003	
(1240)	00000047	11ED0000	0000AB0E	409BAC90	1E573AC9	C3547C3C	CAD5C8E6	00000047	00000000	00000000	
(1280)	00989680	00FFFFFF	00000000	41270200	41270200	0C480000	007710C1	00220003	00000047	11ED0000	
(1320)	0000AB0E	409B8425	ED097B42	C343631B	4059D49A	00000047	00000000	00000000	00989680	00FFFFFF	
(1360)	00000000	41270200	41270200	00480000	007710C1	00220003	00000047	11ED0000	0000AB0E	409B88BB	
(1400)	BBBBBBBB	C3325475	29EBCB16	00000047	00000000	00000000	00989680	00FFFFFF	00000000	41270200	